
# 1202-SNG-0026-0011 - ACTIVE

### Kemtron | Kemtron 1202 Series

TE Internal #: 2418194-1 Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni/C) Filler, Tube, 10 m [32.8 ft] Length, Kemtron 1202 Series

#### View on TE.com >





Gasket Type: Extruded EMI Gasket Finished Type: Conductive Strip Binding Material: Silicone Filler Material: Nickel Plated Graphite (Ni/C) Gasket Shape: Tube

### All Extruded EMI Gasket Conductive Strip (56)



## Features

### Product Type Features

Finished Type	Conductive Strip	
Binding Material	Silicone	
Filler Material	Nickel Plated Graphite (Ni/C)	
Electrical Characteristics		
Resistance to Petroleum	No	
Volume Resistivity (Max)	.05 Ω.cm	
Body Features		
Gasket Type	Extruded EMI Gasket	
Gasket Shape	Tube	
Dimensions		
Product Length	10 m[32.8 ft]	
Outside Diameter	2.6 mm[.102 in]	

**C** For support call+1 800 522 6752

### 1202-SNG-0026-0011

Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni /C) Filler, Tube, 10 m [32.8 ft] Length, Kemtron 1202 Series



Inside Diameter	1.1 mm[.043 in]		
sage Conditions			
Operating Temperature Range	-55 – 160 °C[-67 – 320 °F]		
roduct Compliance or compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC		
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.		
Solder Process Capability	Not reviewed for solder process capability		

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




# Also in the Series | Kemtron 1202 Series


### 1202-SNG-0026-0011

Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni /C) Filler, Tube, 10 m [32.8 ft] Length, Kemtron 1202 Series





# Customers Also Bought



TE Part #C60253-000 D-200-84	TE Part #CQ50303001 RAY-101-10.0(10)	TE Part #1888901-1 SFP+ EMI Plug	TE Part #170605-000 382A023-100/180-0
	TE TE		
TE Part #653482-000 202K132-100/180-0	TE Part #623028-000 D-133-06		

### Documents

Product Drawings SNG Tube 2.6mm OD x 1.1mm ID x 10m L

English

Datasheets & Catalog Pages Performance Materials brochure

English

**Datasheet - Conductive Elastomers** 

English

### 1202-SNG-0026-0011

Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni /C) Filler, Tube, 10 m [32.8 ft] Length, Kemtron 1202 Series



Product Specifications Application Specification

English