



EMI & EMC Solutions > EMI Shielding > EMI Gaskets > Wire Mesh Knitted Conductive Gaskets



Gasket Type: **Knitted Wire EMI Gasket**

Gasket Shape: **Round**

Product Length: **25 m [82 ft]**

Operating Temperature Range: **-50 – 200 °C [-58 – 392 °F]**

Resistance to Petroleum: **No**

[All Wire Mesh Knitted Conductive Gaskets \(108\)](#)

Features

Product Type Features

Gasket Wire Material Type	Monel
---------------------------	-------

Electrical Characteristics

Resistance to Petroleum	No
-------------------------	----

Body Features

Gasket Type	Knitted Wire EMI Gasket
Gasket Shape	Round

Dimensions

Product Length	25 m[82 ft]
Outside Diameter	2.4 mm[.094 in]

Usage Conditions

Operating Temperature Range	-50 – 200 °C[-58 – 392 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-EMIG-0002
[Wire Mesh Knitted Conductive Gaskets](#)

Also in the Series | **Kemtron 200 Series**



[EMI Gaskets\(37\)](#)



[Medical EMI & EMC Solutions\(37\)](#)

Documents



Product Drawings

Round Mon Dia2.4 L25m

English

Datasheets & Catalog Pages

Knitted wire mesh

English

Product Specifications

Application Specification

English