TE Internal #: 2452808-1 4FF SIM, Push-Pull Type, 7 Position, 7 Loaded Positions, Signal, -40 – 85 °C [-40 – 185 °F], SIM Card Connectors


View on TE.com >



Connectors > PCB Connectors > Memory Card Connectors > SIM Card Connectors











Compatible Card: 4FF SIM

SIM Card Product Type: Push-Pull Type

Number of Positions: 7

Number of Loaded Positions: 7 Contact Current Rating (Max): 1 A

Features

Product Type Features

| Connector & Contact Terminates To | Printed Circuit Board |
|-----------------------------------|-----------------------|
| Compatible Card | 4FF SIM |
| SIM Card Product Type | Push-Pull Type |

Configuration Features

| Card Detection Switch | With |
|----------------------------|------------------|
| Card Insertion Style | Normal Insertion |
| Number of Positions | 7 |
| Number of Loaded Positions | 7 |

Electrical Characteristics

Body Features

| Ejector Type | Push-Pull | |
|--------------|-----------|--|
|--------------|-----------|--|

Contact Features

| Contact Base Material | Copper Alloy |
|------------------------------|--------------|
| Contact Current Rating (Max) | 1 A |



Termination Features

| Termination Method to PCB | Surface Mount |
|-----------------------------|---------------------------|
| Mechanical Attachment | |
| Connector Mounting Type | Board Mount |
| Mating Alignment | With |
| Housing Features | |
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Shell Material | Stainless Steel |
| Usage Conditions | |
| Operating Temperature Range | -40 - 85 °C[-40 - 185 °F] |
| Operation/Application | |
| Durability Rating | 1500 Cycles |
| Circuit Application | Signal |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| Packaging Features | |
| Packaging Method | Reel |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not reviewed for solder process capability |
| | |

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts







Customers Also Bought























Documents

Product Drawings

Nano SIM card Conn Push pull type

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2452808-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2452808-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2452808-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English