




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **28280 CMA**

Stud Size: **3/8**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	3/8
Sealable	Yes
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Electrical Characteristics

Voltage Rating	600 V
----------------	-------

Body Features

Product Weight	15.3 g
----------------	--------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None

Dimensions

Wire Size	28280 CMA
Stud Diameter	9.91 mm[.39 in]
Tongue Thickness	2.26 mm[.089 in]
Product Length	48.26 mm[1.89 in]



Barrel Inside Diameter	7.11 mm[.28 in]
Compatible Insulation Diameter (Max)	6.35 mm[.25 in]
Compatible Insulation Diameter Range	5.72 – 6.35 mm[.225 – .25 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	25
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 1490556-1
HYP10 COPALUM SEALED 6AWG DIE SET

TE Part # 68007
HYP8/10 COPALUM SEALED 6AWG DIE SET

TE Part # EF7049-000
82A6083-6-9

TE Part # 821793-000
CMC-0553-6-9

Customers Also Bought

TE Part #827316-000
55PC0211-22-5LL-CS2970

TE Part #277151-2
TERMINAL,COPALUM R 1/0 3/8

TE Part #CA7503-000
MTC PQKT2P26SGCA

TE Part #D40304-000
MTC PQKT1P2SGAB

TE Part #184948-000
55PC1241-20-CML4-9CS2970

TE Part #CW7948-000
D-200-0239-RT-CS4049

TE Part #CW7952-000
D-200-0245-RT-CS4049

TE Part #D21559-000
55PC2126-24-2/6-9CS2970

TE Part #673460-000
55PC0231-18-2/4/6CS2970

TE Part #478580-000
55PC1124-24-2/6-9CS2970

Documents

Product Drawings
[TERMINAL,COPALUM R 6 3/8](#)

English

CAD Files
Customer View Model
[ENG_CVM_CVM_277148-4_H.2d_dxf.zip](#)

English



3D PDF

3D

Customer View Model

ENG_CVM_CVM_277148-4_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_277148-4_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

COPALUM Lite Sealed Terminals and Splices

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English