
280268-2 - ACTIVE

TE Internal #: 280268-2 Closed Ring Tongue Terminal, 11 – 10 AWG, 5/16 / M8 Stud, 8.3 mm [.327 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 8234 – 10383 CMA

Stud Size: 5/16, M8

Features

Product Type Features

Shape Description

Circular/Oval

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	5/16, M8	
Sealable	No	
Compatible With Discrete Wire Type	Stranded	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Body Features		
Product Weight	1.392 g	
Contact Features		
Contact Base Material	Brass	
Barrel Type	Open	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Contact Underplating Material	Nickel	

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 11 – 10 AWG, 5/16 / M8 Stud, 8.3 mm [.327 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Mechanical Attachment

Wire Insulation Support	With	
Dimensions		
	.15 in	
Wire Size	8234 – 10383 CMA	
Stud Diameter	8.3 mm[.327 in]	
Tongue Thickness	.7 mm[.028 in]	
Product Length	26.16 mm[1.03 in]	
Barrel Inside Diameter	2.66 mm, 4.44 mm[.105 in][.175 in]	
Compatible Insulation Diameter (Max)	5.31 mm[.209 in]	
Compatible Insulation Diameter Range	3.8 – 5.3 mm[.15 – .209 in]	
Usage Conditions		
Insulation Option	Uninsulated	
Insulation Option Operating Temperature Range	Uninsulated -40 – 110 °C[-40 – 230 °F]	
Operating Temperature Range		

Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	2000
Packaging Method	Strip/Reel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 11 – 10 AWG, 5/16 / M8 Stud, 8.3 mm [.327 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 160134-5 RING TONGUE WITH IS 12-10 AWG PHBZ



TE Part # 160134-2 RING TONGUE WITH IS 12-10 AWG TPBR



TE Part # 160163-2 RING TONGUE WITH IS 3.1-5.3 MM2 TPBR



TE Part # 140656 TERMINAL RING TONGUE 12 10


		O TE	
TE Part # 280267-2 COSSE RONDE 12 10	TE Part # 160336-2 RING TONGUE IS 12-10 0.295 X .650 TPBR	TE Part # 41126 RING 12-10 AWG TPBR	TE Part # 280261-2 OPEN BARREL RINGTON



Customers Also Bought

Closed Ring Tongue Terminal, 11 – 10 AWG, 5/16 / M8 Stud, 8.3 mm [.327 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated







TE Part #281856-2 POSITIVE LOCK HOUSING



TE Part #1-1414939-4 V23130C2021A412-EV-CBOX

Documents

Product Drawings RING TONGUE 4-6MM2 0.0276X0.650 TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_280268-2_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_280268-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_280268-2_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 11 – 10 AWG, 5/16 / M8 Stud, 8.3 mm [.327 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Product Specification

English

Product Specification

English

Product Specification

English

Agency Approvals Agency Approval Document

English