



TE Internal #: 2820350-2
INTERNAL Mini-SAS HD Cable Assembly, 16 Positions, .5 m [1.64 ft], 12 Gb/s, Black Cable, 30 AWG, .051 mm² Wire, INTERNAL Mini-SAS HD Plug End A
[View on TE.com >](#)

Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies



Cable Assembly Type: INTERNAL Mini-SAS HD
Number of Positions: 16
Cable Assembly Length: .5 m [1.64 ft]
Data Rate: 12 Gb/s
Cable Color: Black

Features

Product Type Features

Cable Assembly Category	High Speed, Industry Standard
Cable Assembly Type	INTERNAL Mini-SAS HD
Cable Style	Discrete Pairs
Cable Assembly (End A)	INTERNAL Mini-SAS HD Plug
Cable Assembly (End B)	INTERNAL Mini-SAS HD Plug

Configuration Features

Number of Positions	16
Number of Pairs	8
Number of Signal Positions	16

Electrical Characteristics

Impedance	100 Ω
-----------	-------

Signal Characteristics

Data Rate	12 Gb/s
-----------	---------

Body Features

--	--



Cable Color	Black
Cable Flammability Rating	VW-1

Dimensions

Wire Size	.051 mm²
Outside Cable Diameter	1.02 mm, 1.68 mm[.04 in][.066 in]

Operation/Application

Halogen Free	Yes
--------------	-----

Other

Cable Assembly Configuration	Double Ended
Cable Assembly Length	.5 m[1.64 ft]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



Documents

Product Drawings
C/A, INTERNAL HD MINI SAS, 100 OHM, STR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_2820350-2_C.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2820350-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2820350-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English