

#### AMP

TE Internal #: 2822356-1

Rubber Plug, 1.3 mm [.05 in] Cavity Diameter, Black, NBR, 1.4 – 2.1

mm [.06 – .08 in] Insulation Diameter

View on TE.com >



Connectors > Connector Accessories > Connector Seals & Cavity Plugs











Connector Seal & Plug Type: Rubber Plug

Cavity Diameter: 1.3 mm [ .05 in ]
Primary Product Color: Black
Primary Product Material: NBR

Compatible Insulation Diameter Range: 1.4 – 2.1 mm [.06 – .08 in]

### **Features**

## Product Type Features

| Connector Seal & Plug Type           | Rubber Plug                |
|--------------------------------------|----------------------------|
| Body Features                        |                            |
| Primary Product Color                | Black                      |
| Primary Product Material             | NBR                        |
| Dimensions                           |                            |
| Cavity Diameter                      | 1.3 mm[.05 in]             |
| Compatible Insulation Diameter Range | 1.4 – 2.1 mm[.06 – .08 in] |
| Packaging Features                   |                            |
| Packaging Method                     | Bag                        |
| Packaging Quantity                   | 1000                       |
| Other                                |                            |
| Shore A Hardness                     | 40                         |
| Contains Lubricant                   | Yes                        |



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free   |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# Customers Also Bought





TE Part #2066042-1 12 POS.ECONOSEAL PLUG HSG ASSY JMARK II+



TE Part #2332444-1 DT04-3P-EP10-120,RECEPTACLE ASM-BLACK



TE Part #2066499-1 12 POS DBL PLATE FOR CAP




TE Part #1743059-2 MT-II/JPT SLD 36P PLUG ASSY




TE Part #1-174263-1 E-J MK-2 PLUG HSG 6P NATURAL





040 MLC CAP HSG 2P GREEN





TE Part #2066043-2 12 POS. ECONOSEAL CAP HOUSING JMARK II+



### **Documents**

### **Product Drawings**

070 TYPE NEW RUBBER PLUG S

Japanese

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2822356-1\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2822356-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2822356-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

Rubber Plug, 1.3 mm [.05 in] Cavity Diameter, Black, NBR, 1.4 – 2.1 mm [.06 – .08 in] Insulation Diameter



**Product Specification** 

Japanese

**Product Specification** 

English

**Product Specification** 

Japanese