292499-4 - ACTIVE

MULTI-BEAM

TE Internal #: 292499-4 Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 4 Position, 6.35 mm [.25 in] Centerline, 1 Row, Rectangular Wire & Cable Connectors & Housings

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: Housing Connector & Housing Type: Receptacle Termination Method to Wire & Cable: Crimp Connector System: Cable-to-Panel

Contact Retention Within Housing: Without

Features



Product Type Features

Connector Product Type	Housing				
Connector & Housing Type	Receptacle				
Connector System	Cable-to-Panel				
Sealable	No				
Connector & Contact Terminates To	Wire & Cable				
Configuration Features					
Number of Positions	4				
Number of Rows	1				
Electrical Characteristics					
Operating Voltage	200 VAC				
Body Features					
Primary Product Color	Black				
Contact Features					

C For support call+1 800 522 6752

292499-4

Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 4 Position, 6.35 mm [.25 in] Centerline, 1 Row, Rectangular Wire & Cable Connectors & Housings



Contact Type	Receptacle
Contact Retention Within Housing	Without
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	Thermoplastic
Centerline (Pitch)	6.35 mm[.25 in]
Usage Conditions	
Operating Temperature Range	-20 – 105 °C[-4 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0

Packaging Features



Packaging Method

Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

292499-4

Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 4 Position, 6.35 mm [.25 in] Centerline, 1 Row, Rectangular Wire & Cable Connectors & Housings



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



		TE	-E TE
TE Part #1-1600788-3 MBXL RCPT HSG ASSY, STR, 2P+8S+2P	TE Part #1-2176363-1 RQ 0402 549R 0.1% 10PPM 5K RL	TE Part #4-6609106-9 PS0S0DHXA=C1292	TE Part #1-1600636-0 MBXL RCPT PMT 2P+16S+2P
TE Part #6450823-1 VERTICAL HEADER W/ SHORT 4HDP	TE Part #6-1437648-2 4PCV-03-008=4 SERIES	TE Part #60290-1 250 FASTON FLAG REC 18-14 AWG BR	TE Part #6609005-6 1EAS1=F7530N S0

292499-4

Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 4 Position, 6.35 mm [.25 in] Centerline, 1 Row, Rectangular Wire & Cable Connectors & Housings





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_292499-4_D4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_292499-4_D4.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_292499-4_D4.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

Product Specifications Application Specification

English