




Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm



PCB Connector Type: PCB Mount Header

Data Rate: ≤1 Gb/s

Number of Columns: 11

Number of Rows: 5

Backplane Architecture: Traditional Backplane

[All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm \(124\)](#)

Features

Product Type Features

|                                   |                       |
|-----------------------------------|-----------------------|
| Connector & Contact Terminates To | Printed Circuit Board |
| Connector System                  | Board-to-Board        |
| PCB Connector Type                | PCB Mount Header      |
| Sealable                          | No                    |

Configuration Features

|                        |                       |
|------------------------|-----------------------|
| Number of Columns      | 11                    |
| Number of Rows         | 5                     |
| Backplane Architecture | Traditional Backplane |
| Number of Positions    | 55                    |
| PCB Mount Orientation  | Vertical              |

Signal Characteristics

|           |         |
|-----------|---------|
| Data Rate | ≤1 Gb/s |
|-----------|---------|



Body Features

|                       |      |
|-----------------------|------|
| Primary Product Color | Gray |
|-----------------------|------|

Contact Features

|                                                |                |
|------------------------------------------------|----------------|
| CompactPCI Designation                         | None           |
| Contact Type                                   | Pin            |
| Contact Mating Area Plating Material           | Gold (Au)      |
| Contact Mating Area Plating Material Thickness | .76 µm[30 µin] |

Mechanical Attachment

|                         |             |
|-------------------------|-------------|
| Connector Mounting Type | Board Mount |
|-------------------------|-------------|

Housing Features

|                    |               |
|--------------------|---------------|
| Centerline (Pitch) | 2 mm[.078 in] |
|--------------------|---------------|

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |
|-----------------------------|----------------------------|

Operation/Application

|                     |        |
|---------------------|--------|
| Circuit Application | Signal |
|---------------------|--------|

Packaging Features

|                  |      |
|------------------|------|
| Packaging Method | Tube |
|------------------|------|

Product Compliance

For compliance documentation, visit the product page on TE.com>


|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Not Compliant                                                                                                                                                                                                                                                                                                                                                                                                           |
| EU ELV Directive 2000/53/EC                   | Compliant with Exemptions                                                                                                                                                                                                                                                                                                                                                                                               |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold                                                                                                                                                                                                                                                                                                                                                                                    |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>SVHC > Threshold:<br>Pb (13% in 4690948374)<br><b>Article Safe Usage Statements:</b><br>Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.                                                                                                                                                                                                                                                                                                                                                                          |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                                                                                                                                                                                                                                                                                                            |




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | Z-PACK 2mm HM



Backplane Connector Housings(4)




Backplane Power Connectors(1)



Connector Caps & Covers(62)




Connector Hardware(91)



Hard Metric Backplane Connectors (266)



Insertion & Extraction Tools(2)



PCB Headers & Receptacles(46)



Rectangular Power Connectors(46)


Customers Also Bought



TE Part #3-1617108-7  
PRMGSCD-26XW = PRMGSD .100 GRI



TE Part #2-535542-5  
50 MODIV VRT DR CE 100/130



TE Part #532903-8  
HDI RECP ASSY 4 ROW 220 POS




TE Part #4-86479-4  
80 MODII HDR DRRR UNSHRD .100



TE Part #532446-4  
HDI PIN ASSY 2 ROW 50 POS



TE Part #6-1393252-8  
W67-X2Q13-2=M6/M7/M9/W6/W7



TE Part #533268-1  
HDI RECP ASSY 3 ROW 75 POS



TE Part #598213-5  
HDI RECP ASSY 3 ROW 120 POS, NO LUBE



TE Part #3-535542-0  
60 MODIV VRT DR CE 100/130



TE Part #532956-4  
24 MODII 2PC CE RCPT ASSY

Documents

Product Drawings

2MM HDR, 55 POS EXTN MOD

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-100159-0\_J.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-100159-0\_J.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-100159-0\_J.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English