




Triad 01 Cable Plug, Triad 01 Solder

TE Internal #: 3-1437719-3

4 Position Circular Connector, Cable-to-Cable, Sealable, Wire & Cable, Signal, Cable Mount (Free-Hanging), Reverse Gender, Nickel, Triad 01 Cable Plug

[View on TE.com >](#)

Connectors > Circular Connectors > Standard Circular Connectors



Number of Positions: 4

Connector System: **Cable-to-Cable**

Sealable: **Yes**

Connector & Contact Terminates To: **Wire & Cable**

Contact Current Rating (Max): **3 A**

Features

Product Type Features

Prewired	Yes
Connector Product Type	Connector Assembly
Connector System	Cable-to-Cable
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Metal

Configuration Features

Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes

Electrical Characteristics

Operating Voltage	60 VAC
-------------------	--------



Body Features

Environmental Protection Type	Sealed
Environmental Protection	IP65
Shell Plating Material	Nickel
Shell Base Material	CuZn
Circular Connector Insulation Material Type	PBT
Hermetically Sealed	No

Contact Features

Contact Current Rating (Max)	3 A
Reverse Gender	Yes
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Socket

Termination Features

Termination Method to Wire & Cable	Solder
------------------------------------	--------

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Alignment Type	Polarization
Mating Retention	With

Dimensions

Compatible Insulation Diameter Range	5 mm
Assembly Length	38 mm
Wire Size	24 AWG

Usage Conditions

Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]
-----------------------------	---------------------------

Operation/Application

Durability Rating	500 Cycles
Circuit Application	Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------



Packaging Features

Packaging Quantity	25
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3% in M-11152-3) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1437719-8
T01-0550-P04-MALE PLUG
CONNECTOR SOLDER



TE Part # 6-1437719-4
T01-0570-P04-MALE REC PANEL-PCB
STRAIGHT



TE Part # 8-1437719-4
T01-0580-P04-MALE REC PANEL
MOUNT SOLDER



TE Part # 4-1437719-8
T01-0560-P04-MALE REC PANEL-PCB
MOUNT RA



Also in the Series

Triad 01 Cable Plug

Standard Circular Connectors(10)

Also in the Series

Triad 01 Solder

Standard Circular Connectors(10)

Customers Also Bought

<div></div> <div>TE Part #BEA116M14000200000 923 RECEPTACLE, SPEEDTEC-READY</div>	<div></div> <div>TE Part #4-2176339-1 CRGCQ 0603 22K 1%</div>	<div></div> <div>TE Part #4-2176339-5 CRGCQ 0603 47K 1%</div>	<div></div> <div>TE Part #1437720-3 T01-0580-S05-FEMALE REC PANEL MNT SOLDER</div>
<div></div> <div>TE Part #5-1355730-1 3pos MQS .63 header 90deg</div>	<div></div> <div>TE Part #3-2176339-5 CRGCQ 0603 6K8 1%</div>	<div></div> <div>TE Part #1-2176339-7 CRGCQ 0603 220R 1%</div>	<div></div> <div>TE Part #2-1437719-4 T01-0550-P07-MALE PULG CONNECTOR SOLDER</div>



Documents

Product Drawings

T01-0550-S04-FEMALE PLUG CONNECTOR SOLDE

English

T01-0550-S04-FEMALE PLUG CONNECTOR SOLDE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-1437719-3_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-1437719-3_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-1437719-3_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

Product Specification

English