

FCA-325-AY4

✓ ACTIVE

CII | CII FCA-325 Series


TE Internal #: 3-1617753-9

General Purpose Power Relay, DC, Polarized, Monostable, 3 Form C 3PDT-CO, 25 A Contact Rating, 28 VDC Coil Voltage, Socket Mount, CII FCA-325 Series

[View on TE.com >](#)



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **General Purpose Power Relay**

Current Type: **DC**

Coil Magnetic System: **Polarized, Monostable**

Contact Arrangement: **3 Form C 3PDT-CO**

Contact Current Rating: **25 A**

Features

Product Type Features

|                        |                             |
|------------------------|-----------------------------|
| Relay & Contactor Type | General Purpose Power Relay |
|------------------------|-----------------------------|

Configuration Features

|                       |                        |
|-----------------------|------------------------|
| Coil Special Features | Coil Suppression Diode |
| Relay Options         | Back EMF Suppression   |
| Contact Arrangement   | 3 Form C 3PDT-CO       |

Electrical Characteristics

|                        |        |
|------------------------|--------|
| Coil Resistance        | 290 Ω  |
| Contact Current Rating | 25 A   |
| Coil Voltage Rating    | 28 VDC |

Body Features

|                |                     |
|----------------|---------------------|
| Enclosure Type | Hermetically Sealed |
|----------------|---------------------|

Contact Features

|                  |                      |
|------------------|----------------------|
| Contact Material | Silver Cadmium Oxide |
|------------------|----------------------|



|                  |      |
|------------------|------|
| Terminal Plating | Gold |
|------------------|------|

Termination Features

|                                    |             |
|------------------------------------|-------------|
| Main Termination & Connection Type | Socket Pins |
| Coil Termination & Connection Type | Socket Pins |

Mechanical Attachment

|                               |                   |
|-------------------------------|-------------------|
| Product Mounting Feature Type | Mounting Brackets |
| Product Mount Type            | Socket Mount      |

Usage Conditions

|                                         |                            |
|-----------------------------------------|----------------------------|
| Operating Temperature Range             | -70 – 125 °C[-94 – 257 °F] |
| Environmental Ambient Temperature (Max) | 125 °C[257 °F]             |

Operation/Application

|                      |                       |
|----------------------|-----------------------|
| Vibration Resistance | 30G's, 33 – 3000Hz    |
| Shock Resistance     | 200G's, 6ms           |
| Current Type         | DC                    |
| Coil Magnetic System | Polarized, Monostable |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Not Compliant                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| EU ELV Directive 2000/53/EC                   | Not Compliant                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>SVHC > Threshold:<br>Cd (10% in Component Part)<br>Cadmium oxide (3% in Component Part)<br><b>Article Safe Usage Statements:</b><br>Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                                                                                                                                                                                                                                                                                                                                                                                |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                                                                                                                                                                                                                                                                                                                                                                       |

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

|                                                                                                                                                              |                                                                                                                                                              |                                                                                                                                                                |                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>TE Part # 5-1617748-7<br><a href="#">FCA-125-8=M6106/19-008</a>        | <br>TE Part # 2-1617748-6<br><a href="#">FCA-125-20=M6106/19-020</a>       | <br>TE Part # 6-1617748-3<br><a href="#">FCA-125-BX4</a>                   | <br>TE Part # 6-1617748-9<br><a href="#">FCA-125-BZ3</a>              |
| <br>TE Part # 5-1617791-2<br><a href="#">FCA-125-3703L=M83536/37-003L</a> | <br>TE Part # 7-1617748-6<br><a href="#">FCA-125-CX8</a>                  | <br>TE Part # 8-1617748-5<br><a href="#">FCA-125-DY8</a>                  | <br>TE Part # 1-1617748-7<br><a href="#">FCA-125-11=M6106/19-011</a> |
| <br>TE Part # 2-1617748-5<br><a href="#">FCA-125-19=M6106/19-019</a>      | <br>TE Part # 4-1617791-2<br><a href="#">FCA-125-3601L=M83536/36-001L</a> | <br>TE Part # 4-1617791-7<br><a href="#">FCA-125-3606L=M83536/36-006L</a> | <br>TE Part # 2-1617748-1<br><a href="#">FCA-125-15=M6106/19-015</a> |
| <br>TE Part # 3-1617748-0<br><a href="#">FCA-125-24=M6106/19-024</a>      |                                                                                                                                                              |                                                                                                                                                                |                                                                                                                                                           |



Also in the Series

CII FCA-325 Series

AC Relays(8)

DC Relays(17)

Electromechanical Relays(25)

Plug-In Relays(5)

Customers Also Bought

TE Part #ZPF0000000000007354  
983-0S 12-12 P6

TE Part #321889  
SOLIS R HT 22-16COMM22-18MIL 6

TE Part #5-1625971-1  
HSA25 47R 5%

TE Part #433763-000  
55A1811-16-9-9CS2275

TE Part #CTL-12-513  
JUNCTION ASSY

TE Part #1-770849-1  
11P SL156 HSG W/LCK RMP & TABS

TE Part #322693  
TERMINAL,SOLIS R HR 16-14 6

TE Part #K1013577  
Relay 26-60-75

TE Part #650128N008  
D-436-84CS2845

TE Part #YDTS26F13-35SNV002  
PLUG ASSY

Documents

Product Drawings

FCA-325-AY4

English

CAD Files

3D PDF

3D



Customer View Model

[ENG\\_CVM\\_CVM\\_3-1617753-9\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_3-1617753-9\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_3-1617753-9\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[5-1773450-5\\_sec5\\_FCA-325](#)

English