RLC73N2AR154FTD ACTIVE

CGS | CGS RLC73

TE Internal #: 3-2176569-6

.154 ohm, Surface Mount Current Sensing Resistor, Thick Film, 0805, .125 W, 1 %, \pm 300 ppm/°C, Solder, 2 Terminations, CGS

RLC73

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistance Value: $.154 \Omega$

Resistor Type: Current Sensing Resistor

Element Type: Thick Film
Package Size Code: 0805
Power Rating: .125 W

Features

Product Type Features

Product Type Features	
Resistor Type	Current Sensing Resistor
Element Type	Thick Film
Package Size Code	0805
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Resistance Value	.154 Ω
Power Rating	.125 W
Resistance Class	Up to $1k\Omega$
Passive Component Tolerance	1 %
Termination Features	
Surface Mount Resistor Termination Type	Solder

2

Number of Terminations

.154 ohm, Surface Mount Current Sensing Resistor, Thick Film, 0805, .125 W, 1 %, ±300 ppm/°C, Solder, 2 Terminations, CGS RLC73



Dimensions

Product Height	.55 mm[.022 in]
Product Length	2 mm[.079 in]
Product Width	1.25 mm[.049 in]
Usage Conditions	

Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±300 ppm/°C

Packaging Features

Da alva aira a Matla a al	Tara ad O. Da ada ad
Packaging Method	Taped & Reeled

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.


.154 ohm, Surface Mount Current Sensing Resistor, Thick Film, 0805, .125 W, 1 %, ±300 ppm/°C, Solder, 2 Terminations, CGS RLC73




Compatible Parts



Also in the Series | CGS RLC73



Customers Also Bought















Documents

Product Drawings
RLC73N 2A R154 1% 5K RL

English

CAD Files

.154 ohm, Surface Mount Current Sensing Resistor, Thick Film, 0805, .125 W, 1 %, ±300 ppm/°C, Solder, 2 Terminations, CGS RLC73



Customer View Model

ENG_CVM_CVM_3-2176569-6_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-2176569-6_BA.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_3-2176569-6_BA.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SMD Low Ohmic - Current Sense Resistors - Type RLC73 Series

English