

PLASTI-GRIP

TE Internal #: 321026

Butt Splice, 26 – 22 AWG, .12 – .4 mm² Wire, Serrated, 202 – 810


CMA, Copper, Yellow, 15.75 mm [.62 in] Length, Loose Piece,

PLASTI-GRIP

View on TE.com >



Terminals & Splices > Splices



Splice Type: Butt Splice
Wire Size: .12 – .4 mm²

Sealable: No

Splice Features: Serrated

Features

Product Type Features

Splice Type Butt Sp	lice
Sealable	
Compatible With Discrete Wire Type Solid, S	tranded
Wire Insulation Support Retention Type Insulation	on Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Body Features

Product Weight	.257 g
Insulation Material	Vinyl
Splice Features	Serrated
Primary Product Color	Yellow

Contact Features

Terminal Plating Material	Tin
---------------------------	-----



Contact Base Material	Copper
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	202 – 810 CMA
Compatible Insulation Diameter Range	2.03 mm[.08 in]
Product Length	15.75 mm[.62 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Loose Piece

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as





EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PLASTI-GRIP









Customers Also Bought
























Documents

Product Drawings
SPLICE,PG BUTT 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_321026_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_321026_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_321026_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Butt Splice, 26 – 22 AWG, .12 – .4 mm² Wire, Serrated, 202 – 810 CMA, Copper, Yellow, 15.75 mm [.62 in] Length, Loose Piece, PLASTI-GRIP



Application Specification

English

Agency Approvals

CSA Certificate

English