




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 33100 – 52600 CMA

Stud Size: 1/4, M6

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/4, M6
Sealable	No

Wire Insulation Support Retention Type	Insulation Support
--	--------------------

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	7.233 g
Insulation Sleeve Color	Yellow

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------



Dimensions

Wire Size	33100 – 52600 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	1.22 mm[.048 in]
Product Length	46.02 mm[1.812 in]
Compatible Insulation Diameter (Max)	9.7 mm[.382 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	100
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these




limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1490599-1
HYP10 TERMINYL 4AWG DIE SET



TE Part # 601129-2
HAND TOOL (A.S.I.)



TE Part # 47822
HYP8 TERMINYL 4AWG DIE SET

Customers Also Bought



TE Part #1604042-4
KIT,175A,1/0 AWG,GRAY



TE Part #324057
TERMINAL,T-N R 1/0 3/8



TE Part #324052
TERMINAL,T-N R 4 3/8



TE Part #324047
TERM, TERMINYL, RT, 6 AWG, 1/4




TE Part #1604121-5
REDUCING BUSH,175A,1/0-4AWG



TE Part #208485-1
CMC RECPT ASSEMBLY SIZE 28



TE Part #CONREV SMA011
RP-SMA Jack 50 Ohm PCB Cable Crimp



TE Part #157855-000
TXR40AB00-1614AI



TE Part #1SNG601122R0000
EP-SG-M40-GR-B



TE Part #324082
TERMINAL,T-N R 8 1/4

Documents



Product Drawings

TERMINAL,T-N R 4 1/4

English

CAD Files

Customer View Model

ENG_CVM_324050_H.3d_igs.zip

English

Customer View Model

ENG_CVM_324050_H.3d_stp.zip

English

Customer View Model

ENG_CVM_324050_H.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.