


TE Internal #: 324484 Closed End Splice, Copper, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated

### View on TE.com >

Terminals & Splices > Splices



Splice Type: Closed End Splice

Sealable: No

Contact Base Material: Copper

Terminal Material Thickness: .51 mm [.02 in ]

Product Length: 13.08 mm [.515 in ]

## Features

Product Type Features



Splice Accessory Type	Wire Cap				
Splice Type	Closed End Splice				
Sealable	No				
Compatible With Discrete Wire Type	Solid, Stranded				
Wire Insulation Support Retention Type	Non-Insulation Support				
Configuration Features					
Compatible With Wire & Cable Type	Discrete Wire				
Body Features					
Insulation Material	Nylon				
Contact Features					
Contact Base Material	Copper				
Barrel Type	Closed				
Mechanical Attachment					
Wire Insulation Support	Without				

### 324484

Closed End Splice, Copper, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated



### Dimensions

Terminal Material Thickness	.51 mm[.02 in]					
Product Length	13.08 mm[.515 in]					
Usage Conditions						
Insulation Option	Fully Insulated					
Industry Standards						
Government Qualified Splice	No					
Packaging Features						
Packaging Quantity	1000					
Packaging Method	Loose Piece					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant					
EU ELV Directive 2000/53/EC	Compliant					
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold					
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)					

(247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

**C** For support call+1 800 522 6752


### 324484

Closed End Splice, Copper, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated





# Customers Also Bought



TE Part #2-1625999-7 HSC100 2R7 5%	TE Part #59975-1 HYP10 SOLIS 8-2AWG ASSY	TE Part #762261-000 D-SCE-1K-18-50-4	TE Part #YDD07-12SC00900000 PLUG ASSY
TE Part #EC7724-000 HS032WE1NF038B	TE Part #522923-000 55PC2121-22-9/96-9CS2743		

### Documents

**Product Drawings** SPARE WIRE CAP, NAT .048-.075 INS.

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_324484\_M.2d\_dxf.zip

### 324484

Closed End Splice, Copper, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated



English

Customer View Model ENG\_CVM\_CVM\_324484\_M.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_324484\_M.3d\_stp.zip

English

3D PDF

English

Customer View Model ENG\_CVM\_324484\_N.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_324484\_N.3d\_stp.zip

English

Customer View Model ENG\_CVM\_324484\_N.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals CSA Certificate

English