

TE Internal #: 324485

Closed End Splice, Copper, Red, 13.08 mm [.515 in] Length, Loose

Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully

Insulated

View on TE.com >



Terminals & Splices > Splices











Splice Type: Closed End Splice

Sealable: No

Contact Base Material: Copper
Primary Product Color: Red

Terminal Material Thickness: .51 mm [.02 in]

Features

Product Type Features

Splice Accessory Type	Wire Cap
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Insulation Material	Nylon
Primary Product Color	Red

Contact Features

Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment



Wire Insulation Support	Without
Dimensions	
Outside Diameter	4.98 mm[.196 in]
Terminal Material Thickness	.51 mm[.02 in]
Product Length	13.08 mm[.515 in]
Usage Conditions	
Insulation Option	Fully Insulated
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts





Customers Also Bought









TE Part #1SNS420000Z0826 DI00000622338-A4-(B1-PAV + B11-PAV-[VE])

TE Part #1SNS420000Z0844 AD00000313675-A4-(B1-PAV-[VIUFR]) TE Part #1SNS420000Z0830 DI00000622391-C1-(B4-PAV + B41-PAV-[VE]) TE Part #1SNS420000Z0846 AD00000313679-A4-(B3-PAV-[VIUFR])

TE Part #1SNS420000Z0845 AD00000313677-B1-(B2-PAV-[VIUFR])

TE Part #1SNA400248R2600 M6/13.FF.4

Documents

Product Drawings
SPARE WIRE CAP,RED .080-.115 INS.

English

CAD Files
3D PDF



3D

Customer View Model

ENG_CVM_CVM_324485_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_324485_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_324485_L.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_324485_N.2d_dxf.zip

English

Customer View Model

ENG_CVM_324485_N.3d_igs.zip

English

Customer View Model

ENG_CVM_324485_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Agency Approvals

CSA Certificate

English