

TE Internal #: 324487 Closed End Splice, Copper, Yellow, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated

View on TE.com >



Terminals & Splices > Splices



Splice Type: Closed End Splice

Sealable: No

Contact Base Material: Copper

Primary Product Color: Yellow

Terminal Material Thickness: .51 mm [.02 in]

Features

Product Type Features

Splice Accessory Type	Wire Cap				
Splice Type	Closed End Splice				
Sealable	No				
Compatible With Discrete Wire Type	Solid, Stranded				
Wire Insulation Support Retention Type	Non-Insulation Support				
Configuration Features					
Compatible With Wire & Cable Type	Discrete Wire				
Body Features					
Insulation Material	Nylon				
Primary Product Color	Yellow				
Contact Features					
Contact Base Material	Copper				
Barrel Type	Closed				
Mechanical Attachment					

C For support call+1 800 522 6752

324487

Closed End Splice, Copper, Yellow, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated



Wire Insulation Support	Without
Dimensions	
Outside Diameter	7.67 mm[.302 in]
Terminal Material Thickness	.51 mm[.02 in]
Product Length	13.08 mm[.515 in]
Usage Conditions	
Insulation Option	Fully Insulated
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

324487


Closed End Splice, Copper, Yellow, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated




Compatible Parts



Customers Also Bought



	TE		
TE Part #36927	TE Part #DT04-08PA-CL03	TE Part #1-2176330-6	TE Part #59803-1
BODY SOLIS RING 3/0 3/8	REC, 8P, GRY, E, FLANGE, A	CRGP 2010 180R 1%	MAINTENANCE TOOL



Documents

Product Drawings SPARE WIRE CAP,YEL .150-.210 INS.

English

CAD Files 3D PDF

324487

Closed End Splice, Copper, Yellow, 13.08 mm [.515 in] Length, Loose Piece, Closed Barrel, Solid / Stranded Wire, Discrete Wire, Fully Insulated



3D

Customer View Model ENG_CVM_CVM_324487_L.2d_dxf.zip English Customer View Model ENG_CVM_CVM_324487_L.3d_igs.zip English Customer View Model ENG_CVM_CVM_324487_L.3d_stp.zip English

Agency Approvals CSA Certificate

English