




Terminals & Splices > Spade Terminals



Spade Terminal Type: **Spade Tongue Terminal**

Wire Size: **202 – 810 CMA**

Stud Size: **#2, M2**

Features

Product Type Features

|  |                        |
|--|------------------------|
| Stud Size                              | #2, M2                 |
| Sealable                               | No                     |
| Wire Insulation Support Retention Type | Non-Insulation Support |

Body Features

|                |       |
|----------------|-------|
| Product Weight | .16 g |
|----------------|-------|

Contact Features

|                           |                       |
|---------------------------|-----------------------|
| Spade Terminal Type       | Spade Tongue Terminal |
| Barrel Type               | Closed                |
| Terminal Orientation      | Flanged               |
| Terminal Plating Material | Tin                   |

Mechanical Attachment

|                         |         |
|-------------------------|---------|
| Wire Insulation Support | Without |
|-------------------------|---------|

Dimensions

|               |                   |
|---------------|-------------------|
| Wire Size     | 202 – 810 CMA     |
| Stud Diameter | 2.36 mm [.093 in] |



|                        |                   |
|------------------------|-------------------|
| Tongue Thickness       | .79 mm[.031 in]   |
| Product Length         | 11.51 mm[.453 in] |
| Barrel Inside Diameter | .89 mm[.035 in]   |

Usage Conditions

|                   |             |
|-------------------|-------------|
| Insulation Option | Uninsulated |
|-------------------|-------------|

Operation/Application

|                                       |        |
|---------------------------------------|--------|
| Compatible With Wire Base Material    | Copper |
| Compatible With Wire Plating Material | Tin    |

Industry Standards

|                               |    |
|-------------------------------|----|
| Government Qualified Terminal | No |
|-------------------------------|----|

Packaging Features

|                    |             |
|--------------------|-------------|
| Packaging Quantity | 1000        |
| Packaging Method   | Loose Piece |

Other

|      |        |
|------|--------|
| Line | Budget |
|------|--------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

|   |   |
|---|---|
| EU RoHS Directive 2011/65/EU                  | Compliant   |
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free   |
| Solder Process Capability                     | Not applicable for solder process capability  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

REPRESENTATION ONLY

TE Part # 69363  
DAHT STRATO SOLIS 26-20 ASSY

Also in the Series | SOLISTRAND Budget

Knife Disconnects(4)

Ring Terminals(106)

Spade Terminals(46)

Customers Also Bought

TE Part #CAT-P592-F614  
PIDG Flanged Spade Tongue Terminals

TE Part #5-1589738-8  
JTM025PR2DC010Q = Wdualobe

TE Part #2350513-3  
3POS TB HDR 90 DEG, PITCH 5.0 & TL 4.5mm

TE Part #52921  
TERMINAL,PIDG SPR SPD 26-22 2

TE Part #1-966067-0  
FER,WIRE,PL SLV,1.00/18,L10,RED,LP

TE Part #2350397-2  
2 POS SPRING TB PLUG, PITCH 5.00

TE Part #2350397-3  
3 POS SPRING TB PLUG, PITCH 5.00

TE Part #2311772-1  
AMPL REC, HD22, R/A, 78P, THREADED



Documents

Product Drawings

TERMINAL,BUDG SPD FLG 26-22 2

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_324599\_K.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_324599\_K.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_324599\_K.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.