

SOLISTRAND

TE Internal #: 330367

Butt Splice, 22 – 16 AWG, .3 – 1.42 mm² Wire, Serrated, 509 – 3260

CMA, Copper, 16 Serration, 14.68 mm [.578 in] Length, Loose

Piece, Closed Barrel

View on TE.com >



Terminals & Splices > Splices











Splice Type: Butt Splice Wire Size: .3 – 1.42 mm²

Sealable: No

Splice Features: Serrated

Features

Product Type Features

Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Serrations	16
Compatible With Wire & Cable Type	Discrete Wire

Body Features

Splice Features	Serrated	
Contact Features		

Terminal Plating Thickness	2.54 μm[100 μin]
Terminal Plating Material	Tin
Contact Base Material	Copper



Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Recovered Inside Diameter	1.55 mm[.061 in]
Outside Diameter	3.58 mm[.141 in]
Wire Size	509 – 3260 CMA
Barrel Inside Diameter	1.55 mm[.061 in]
Terminal Material Thickness	.84 mm[.033 in]
Product Length	14.68 mm[.578 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


















Customers Also Bought













TE Part #1379096-1
COV+LEV MQS 12W 90DEG BRO



TE Part #121397P072 ES2000-NO.3-B8-0-100MM



TE Part #2-1825011-1 ASF4204=4PDT AUTOSLIDE





TE Part #5-1438129-8
50 WAY PCM HARNESS ASSY

TE Part #5-1437843-8 103092=7-1437843-9 BLACK

Documents

Product Drawings
SPLICE, SOLIS BUTT 22-16

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_330367_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_330367_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_330367_C.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_330367_D.3d_igs.zip

English

Customer View Model

ENG_CVM_330367_D.3d_stp.zip

English

Customer View Model

ENG_CVM_330367_D.2d_dxf.zip

English



By downloading the CAD file I accept and agree to the $\pmb{\mathsf{Terms}}$ and $\pmb{\mathsf{Conditions}}$ of use.

Datasheets & Catalog Pages

Datasheet - Ev-Charging Electrical

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English