


SOLISTRAND

TE Internal #: 33459 Closed Ring Tongue Terminal, 12 – 10 AWG, 5/16 / M8 Stud, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal


Wire Size: 5180 – 13100 CMA

Stud Size: 5/16, M8

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal			
Stud Size	5/16, M8			
Sealable	No			
Wire Insulation Support Retention Type	Non-Insulation Support			
Configuration Features				
Number of Holes	1			
Contact Features				
Military Part Class	Class I			
Barrel Type	Closed			
Terminal Orientation	Straight			
Terminal Plating Material	Tin			
Mechanical Attachment				
Wire Insulation Support	Without			
Dimensions				
Wire Size	5180 – 13100 CMA			





33459

Closed Ring Tongue Terminal, 12 – 10 AWG, 5/16 / M8 Stud, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



Stud Diameter	7.92 mm[.312 in]
Tongue Thickness	1.07 mm[.042 in]
Product Length	25.5 mm[1.004 in]
Barrel Inside Diameter	3.28 mm[.129 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	Yes
Packaging Features	
Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Colder Process Capability	Not applicable for colder process conchility	

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits as defined in the Annexes of Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

Closed Ring Tongue Terminal, 12 – 10 AWG, 5/16 / M8 Stud, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Customers Also Bought

TE TE	ETE	ETE	ETE
TE Part #343526-1 POSI-LOCK RECPT INSULATOR	TE Part #34124 TERMINAL,SOLIS R 16-14 1/4	TE Part #AKA020M83620200000 623 EXTENSION, SPEEDTEC-READY	TE Part #33462 TERMINAL,SOLIS R 8 5/16
E TE	TE		ETE

TE Part #316308-000

55A1121-28-0/9-9

TE Part #160121

SOLIS 12-10 R 10MM

TE Part #324448

SPLICE, AMPOWER PARA 300MCM

TE Part #34114

SOLIS R 22-16COMM22-18MIL 5/16

33459

Closed Ring Tongue Terminal, 12 – 10 AWG, 5/16 / M8 Stud, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated





Documents

Product Drawings TERMINAL, SOLIS R 12-10 5/16

English

CAD Files

Customer View Model ENG_CVM_CVM_33459_BA.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_33459_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_33459_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SOLISTRAND - QRG

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals UL

English