


## SOLISTRAND

TE Internal #: 33463 Closed Ring Tongue Terminal, 8 AWG, 3/8 Stud, 9.53 mm / 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

### View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 13100 – 20800 CMA

Stud Size: 3/8

## Features

## **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	3/8
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Number of Holes	1
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	13100 – 20800 CMA
Stud Diameter	9.53 mm, 9.91 mm[.39 in]



Closed Ring Tongue Terminal, 8 AWG, 3/8 Stud, 9.53 mm / 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



Tongue Thickness	1.22 mm[.048 in]
Product Length	29.67 mm[1.168 in]
Barrel Inside Diameter	4.37 mm[.172 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Loose Piece

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011	/65/EU
------------------------	--------

### Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

Closed Ring Tongue Terminal, 8 AWG, 3/8 Stud, 9.53 mm / 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated




requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**






# Customers Also Bought



Closed Ring Tongue Terminal, 8 AWG, 3/8 Stud, 9.53 mm / 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated





## Documents

TE Part #42673-2

**Product Drawings** TERMINAL, SOLIS R 8 3/8

RING .190 (4.82 MM) 8-10 AWG TPBR

English

**CAD** Files **Customer View Model** ENG\_CVM\_CVM\_33463\_N.2d\_dxf.zip

TE Part #60843-1

2P CMNL COMM TAB PTPBR

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_33463\_N.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_33463\_N.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages **SOLISTRAND - QRG** 

English

**Instruction Sheets** Instruction Sheet (U.S.)

English

Agency Approvals UL

**S** For support call+1 800 522 6752

Closed Ring Tongue Terminal, 8 AWG, 3/8 Stud, 9.53 mm / 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



English