


### SOLISTRAND

TE Internal #: 33467 Closed Ring Tongue Terminal, 6 AWG, 3/8 Stud, 9.9 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 20800 – 33100 CMA

Stud Size: 3/8

### Features

### Product Type Features

Ring Terminal Product Type

Closed Ring Tongue Terminal

| Stud Size                              | 3/8                    |
|--|------------------------|
| Sealable                               | No                     |
| Wire Insulation Support Retention Type | Non-Insulation Support |
| Configuration Features                 |                        |
| Number of Holes                        | 1                      |
| Contact Features                       |                        |
| Barrel Type                            | Closed                 |
| Terminal Orientation                   | Straight               |
| Terminal Plating Material              | Tin                    |
| Mechanical Attachment                  |                        |
| Wire Insulation Support                | Without                |
| Dimensions                             |                        |
| Wire Size                              | 20800 – 33100 CMA      |
| Stud Diameter                          | 9.9 mm[.39 in]         |
| Tongue Thickness                       | 1.45 mm[.057 in]       |

**C** For support call+1 800 522 6752

### 33467

Closed Ring Tongue Terminal, 6 AWG, 3/8 Stud, 9.9 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



| Product Length  | 31.65 mm[1.246 in] |
|---|--------------------|
| Barrel Inside Diameter  | 5.89 mm[.232 in]   |
| Usage Conditions  |                    |
| Insulation Option   | Uninsulated        |
| Operation/Application   |                    |
| Compatible With Wire Base Material                              | Copper             |
| Compatible With Wire Plating Material                           | Tin                |
| Industry Standards  |                    |
| Government Qualified Terminal                                   | No                 |
| Packaging Features  |                    |
| Packaging Quantity  | 100                |
| Packaging Method  | Loose Piece        |
|   |                    |
| Product Compliance  |                    |
| For compliance documentation, visit the product page on TE.com> |                    |
| EU RoHS Directive 2011/65/EU                                    | Compliant          |
| EU ELV Directive 2000/53/EC                                     | Compliant          |

| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
|---|--|
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JUNE<br>2024 (241)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free  |
|   |  |

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides


Closed Ring Tongue Terminal, 6 AWG, 3/8 Stud, 9.9 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





## Customers Also Bought




### 33467

Closed Ring Tongue Terminal, 6 AWG, 3/8 Stud, 9.9 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated







### Documents

Product Drawings TERMINAL, SOLIS R 6 3/8

English

CAD Files Customer View Model ENG\_CVM\_CVM\_33467\_AC.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_33467\_AC.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_33467\_AC.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SOLISTRAND - QRG

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals UL

**C** For support call+1 800 522 6752

### 33467

Closed Ring Tongue Terminal, 6 AWG, 3/8 Stud, 9.9 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



English