




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 3 – 6 mm²

Stud Size: #8, M4

Stud Diameter: 4.3 mm [.171 in]

Features

Product Type Features

Terminal Features	Sheared
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Electrical Characteristics

Voltage Rating	600 V
----------------	-------

Body Features

Product Weight	5.339 g
Insulation Sleeve Color	Yellow
Stripe Color	Yellow

Contact Features

--	--



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	3 – 6 mm ²
Stud Diameter	4.3 mm [.171 in]
Tongue Thickness	.79 mm [.031 in]
Product Length	28.03 mm [1.103 in]
Compatible Insulation Diameter (Max)	6.35 mm [.25 in]
Compatible Insulation Diameter Range	3.81 – 6.35 mm [.15 – .25 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC




Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 169404
CERTI-LOK DIE




TE Part # 59824-1
TETRA-CRIMP PIDG PG FASTON 22-10 ASSY




TE Part # 59239-4
HHHT PIDG PG 12-10 ASSY



TE Part # 525692
HHHT PIDG PG 12-10 ASSY




TE Part # 58423-1
DIE, RBY IS9252




TE Part # 58433-3
PRO CR ASSY, RBY IS9252


Also in the Series | PLASTI-GRIP




Compression Connectors(3)



Crimp Wire Pins, Tabs & Ferrules(20)



Ring Terminals(310)



Spade Terminals(158)



[Splices\(45\)](#)

Customers Also Bought




TE Part #292303-6
[Std USB Type A, R/A, T/H](#)




TE Part #323990
[TERMINAL,PIDG R 24-20 10](#)



TE Part #342184-1
[12-10 F.E.P.G. RING TERMINAL](#)



TE Part #5088450-9
[PULL LOOP, CUT LENGTH 1.82 IN](#)



TE Part #2-966292-7
[FER,WIRE,PL SLV,6.00/10,L12,GREEN, LP](#)



TE Part #2176094-4
[RP 2A 0.25W 124K 0.1% 25PPM 1K RL](#)



TE Part #1-321897-3
[DG 22-16 HT ALUMEL R 8](#)



TE Part #431891-000
[55A1141-24-MST4-9CS2275](#)



TE Part #2-342184-1
[TAPE MOUNTED FEFG 12-10 R/T](#)



TE Part #NB16124001
[RT-375-5/8-X-SP](#)

Documents

[Product Drawings](#)
[12-10 F.E.P.G. RING TONGUE 3BA](#)

English

[CAD Files](#)
[3D PDF](#)
3D
[Customer View Model](#)
[ENG_CVM_CVM_342183-1_M.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_342183-1_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_342183-1_M.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English