




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Operating Temperature Range: **-40 – 180 °C [-40 – 356 °F]**
Primary Product Color: **Gray**
Primary Product Material: **Silicone**
Operating Temperature (Max): **180 °C [356 °F]**

Features

Body Features

Primary Product Color	Gray
Primary Product Material	Silicone

Usage Conditions

Operating Temperature Range	-40 – 180 °C[-40 – 356 °F]
Operating Temperature (Max)	180 °C[356 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	5000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 344106-1
[18W EMS.REC.HSG.ASSY.](#)

Customers Also Bought



TE Part #1-2232890-9
[9P MONOPLUG 2.5 SELECTIVELY LOADED](#)



TE Part #347874-1
[CABLE SEAL LC SILICON 0.5 T](#)



TE Part #52291-1
[TERMINAL R PG 8 3/8](#)



TE Part #3-1563878-1
[15POS, MIXED,REC HSG,SEALED, ASSY](#)



TE Part #6473423-1
[SUPER SEAL 26POS CAP ASSY H AU](#)



TE Part #280543
[FF 250 REC HSG 2P NYLON NAT](#)



TE Part #374343-E
[CCA PC M12 * F ***** J 3 22553](#)



TE Part #52963-4
[TERMINAL,PG SPR SPD 12-10 10](#)



TE Part #1969507-3
250 FASTON HSG.,FLAG,REC.,1 POS,
BLACK



TE Part #7-2109446-2
MCP 1.5/2.8 SLD 30P PLUG ASSY

Documents

Product Drawings

ECON 3 LC PLUG SILIC

English

CAD Files

Customer View Model

ENG_CVM_348461-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_348461-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_348461-1_A.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Product Datasheet

English