




PIDG

TE Internal #: 35148

Closed Ring Tongue Terminal, 12 – 10 AWG, #4 / M3 Stud, 3.02 mm [.119 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PIDG

[View on TE.com >](#)

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 5180 – 13100 CMA

Stud Size: #4, M3

[All PIDG Ring Tongue Terminals \(410\)](#)

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#4, M3
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Electrical Characteristics

Voltage Rating	300 V
----------------	-------

Body Features

Product Weight	2.284 g
----------------	---------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight

Terminal Plating Material	Tin
---------------------------	-----

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	5180 – 13100 CMA
Stud Diameter	3.02 mm[.119 in]
Tongue Thickness	1.07 mm[.042 in]
Product Length	24.21 mm[.95 in]
Compatible Insulation Diameter (Max)	6.35 mm[.25 in]
Compatible Insulation Diameter Range	3.81 – 6.35 mm[.15 – .25 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>




Compatible Parts

TE Part # 59824-1 TETRA-CRIMP PIDG PG FASTON 22-10 ASSY	TE Part # 59239-4 HHHT PIDG PG 12-10 ASSY	TE Part # 539691-2 ERGO DIE R.B.Y	TE Part # 169404 CERTI-LOK DIE
TE Part # 2063030-1 SDE DIESET, RB.Y, UL	TE Part # 58423-1 DIE, RB.Y IS9252	TE Part # 58433-3 PRO CR ASSY, RB.Y IS9252	TE Part # 2217484-2 KIT, BT.LI, HEAVY HEAD
TE Part # 169400 CERTI-LOK FRAME W/O DIES	TE Part # 47808-6 DIES PIDG 12-10 DIE SET		

Also in the Series | PIDG

			
Compression Connectors(17)	Crimp Wire Pins, Tabs & Ferrules(41)	Knife Disconnects(11)	Quick Disconnects(38)
			
Ring Terminals(588)	Spade Terminals(228)	Special Purpose Terminals(1)	Splices(41)

Customers Also Bought

			
TE Part #ZPF000000000012961 DBAS 74-3-0 PN-A5800	TE Part #2-179959-2 DYNAMIC D-5200 HDR ASSY 6P H Y	TE Part #2-2176513-6 CJP 1000W 270R 5% Lead	TE Part #208283-4 CPC RECPT ASSEMBLY SIZE 11-4
			
TE Part #2-846985-8 LGH 1/2 SGL MLD END/BRD/GND	TE Part #2007309-1 Light Pipe double,Thru bezel,QSFP	TE Part #1-1617756-0 FCA-410-DY9	TE Part #2195835-6 ISM 868 / 915 MHz ANTENNA
			
TE Part #3-1879451-0 TE 600W 270R 5% Bracket	TE Part #006-0937-20A CONT PIN		

Documents

Product Drawings

TERMINAL,PIDG R 12-10 4

English

CAD Files

Customer View Model

ENG_CVM_CVM_35148_L.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_35148_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_35148_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PIDG Terminals and Splices Quick Reference Guide

English

PIDG TERMINALS & SPLICES Quick Reference Guide

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English

UL Report

English