



Application Tooling > Hand Crimping Tools



Tool Grade: **Premium Crimp Tooling**
Ratchet Configuration: **Not Releasable, Not Adjustable**
Die Sets Type: **Fixed In Tool**
Specification Type: **MIL Spec**
TE Certification: **Yes**

Features

Other

| | |
|-----------------------------|--------------------------------|
| Crimp Form-Wire Barrel Type | Closed Barrel - 4 Indent |
| Tool Grade | Premium Crimp Tooling |
| Ratchet Configuration | Not Releasable, Not Adjustable |
| Die Sets Type | Fixed In Tool |
| Specification Type | MIL Spec |
| TE Certification | Yes |
| Power Technology Type | Manual, Pneumatic |
| Tooling Type | Four Indent Hand Tool |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Out of Scope |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per |



homogenous material. Also BFR/CFR/PVC Free













Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

| | | | |
|--|---|---|--|
|  <p>TE Part # 194210-1 PIN,MNL,#10, LUBRICATED</p> |  <p>TE Part # 194211-1 SKT,MNL,#10, LUBRICATED</p> |  <p>TE Part # 193841-1 PIN, 2MM, 12-14 AWG</p> |  <p>TE Part # 193535-1 SKT ASSY. ,POWER, #12-14 AWG</p> |
|  <p>TE Part # 193842-1 SKT ASSY., 2MM, 12-14 AWG</p> |  <p>TE Part # 193796-1 PIN CONTACT - 2MM,10AWG</p> |  <p>TE Part # 193991-4 PIN ASSY. TPE XII</p> |  <p>TE Part # 356336-1 POSITIONER TP 944</p> |
|  <p>TE Part # 193643-1 SKT ASSY. ,POWER, #10-12 AWG</p> |  <p>TE Part # 193797-1 SKT ASSY - 2MM, 10 AWG</p> |  <p>TE Part # 193990-2 SKT ASSY,TYPE XII, #8 AWG</p> |  <p>TE Part # 193458-1 SKT ASSEMBLY, POWER #8 AWG</p> |





TE Part # 193534-1
PIN ASSY, POWER, 12-14 AWG



TE Part # 194213-1
SKT,MNL,#12/14, LUBRICATED

Customers Also Bought



TE Part #90384-1
HHHT TYPE XII MALE FEMALE 10 ASSY




TE Part #770017-1
02P UMNLI IN-LNE PLUG HSG KIT



TE Part #206137-1
23-7 RECEPT STD SEX



TE Part #58247-1
MTA 156 CRIMP HEAD REPAIR DISCRETE



TE Part #1546350-2
R/A CABLE CLAMP KIT,SZ 23,CPC



TE Part #1-601967-5
POSITIONER TYPE II CONTACTS



TE Part #1-601967-6
POSITIONER TYPE II CONTACTS



TE Part #356337-1
POSITIONER TP 1013



TE Part #91019-3
EXTRACTION TOOL



TE Part #356119-1
POSITIONER TP1068S