

TE Internal #: 35653

Closed End Splice, 22 – 10 AWG, .3 – 6 mm² Wire, Serrated, 3.248 –

13.1 kcmil, 3248 – 13100 CMA, Copper, 19.69 mm [.775 in] Length,

Loose Piece

View on TE.com >



Terminals & Splices > Splices











Splice Type: Closed End Splice

Wire Size: .3 – 6 mm²

Sealable: No

Splice Features: Serrated

Features

Product Type Features

Splice Type Closed End Splice Sealable No Compatible With Discrete Wire Type Solid, Stranded	Splice Accessory Type	Splice
	Splice Type	Closed End Splice
Compatible With Discrete Wire Type Solid, Stranded	Sealable	No
	Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type Insulation Support	Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Body Features

Product Weight	1.665 g	
Splice Features	Serrated	

Contact Features

Terminal Plating Material	Tin
Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment



Wire Insulation Support	With
Dimensions	
Wire Size	3.248 – 13.1 kcmil
Compatible Insulation Diameter Range	9.53 mm[.375 in]
Terminal Material Thickness	.55 mm[.022 in]
Product Length	19.69 mm[.775 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operation/Application	
Compatible With Wire Base Material	Copper
Identification Marking	
Splice Marking	ECN
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts











Customers Also Bought




RLC73PM 2A R056 1% 5K RL



RLC73M 2A R082 1% 5K RL



TE Part #207299-1 PLUG MTG. FLANGE NO 11 CPC

















Documents

Product Drawings

SPLICE,N CE 22-10

English

CAD Files

Customer View Model

ENG_CVM_CVM_35653_AA.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_35653_AA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_35653_AA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English