

SOLISTRAND

TE Internal #: 35668

Closed Ring Tongue Terminal, 4 AWG, 1/2 / M12 Stud, 13.08 mm [.

515 in] Stud Diameter, Closed Barrel, Straight, Tin Plating,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 33100 - 52600 CMA

Stud Size: 1/2, M12

Features

Product Type Features

| Troduct Type reductes | |
|--|-----------------------------|
| Ring Terminal Product Type | Closed Ring Tongue Terminal |
| Stud Size | 1/2, M12 |
| Sealable | No |
| Wire Insulation Support Retention Type | Non-Insulation Support |
| Configuration Features | |
| Number of Holes | 1 |
| Body Features | |
| Product Weight | 17.72 g |
| Contact Features | |
| Barrel Type | Closed |
| Terminal Orientation | Straight |
| Terminal Plating Material | Tin |
| Mechanical Attachment | |
| Wire Insulation Support | Without |



| Stud Diameter 13.08 mm[.515 in] Tongue Thickness 1.78 mm[.07 in] | Wire Size | 33100 – 52600 CMA |
|---|------------------------|-------------------|
| | Stud Diameter | 13.08 mm[.515 in] |
| | Tongue Thickness | 1.78 mm[.07 in] |
| Product Length 53.09 mm[2.09 in] | Product Length | 53.09 mm[2.09 in] |
| Barrel Inside Diameter 7.57 mm[.298 in] | Barrel Inside Diameter | 7.57 mm[.298 in] |

Usage Conditions

| Insulation Option | Uninsulated | |
|-------------------|-------------|--|

Operation/Application

| Compatible With Wire Base Material | Copper |
|---------------------------------------|--------|
| Compatible With Wire Plating Material | Tin |

Industry Standards

| Government Qualified Terminal | No | |
|-------------------------------|----|--|
|-------------------------------|----|--|

Packaging Features

| Packaging Quantity | 100 |
|--------------------|-------------|
| Packaging Method | Loose Piece |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts















Customers Also Bought














TE Part #HD46-24-21SE-059 KT PL HD30 24 SHL 21 WY E SEAL CLMP

TE Part #YHD44-18-6SN-00000 HD30 18SHL 6WY NSEAL KIT



TE Part #HD44-18-6PN KT RC HD30 18 SHL 6 WY N SEAL TE Part #HD44-18-14PN KT RC HD30 18 SHL 14 WY N SEAL

Documents

Product Drawings

TERMINAL, SOLIS R 4 1/2

English

CAD Files

Customer View Model

ENG_CVM_CVM_35668_P.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_35668_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_35668_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL

English