



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Tab**
Connector & Housing Type: **Tab Housing**
Number of Positions: **1**
Terminal Orientation: **Straight**
Primary Product Color: **Natural**

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Sealable	No
Connector System	Wire-to-Wire
Connector & Housing Type	Tab Housing

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

--



Mating Alignment Type	None
Mating Alignment	Without
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	Nylon
------------------	-------

Dimensions

Product Length	9.65 mm[.38 in]
----------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	1
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 1969295-4 250 FASTON HSG.,REC.,2 POS, NATURAL	 TE Part # 1-925017-0 250 FASTON HSG.,REC.,1 POS, NATURAL	 TE Part # 881339-2 SLEEVE FOR .250 SRS FASTON TAB	 TE Part # 1-480416-8 250 FASTON HSG.,REC.,1 POS, NATURAL
 TE Part # 1969186-2 312 FASTON HSG.,REC.,NATURAL	 TE Part # 735093 250 FASTON HSG. REC. 1P NATURAL	 TE Part # 360042-3 250 FASTON TAB CAP NATURAL	 TE Part # 881339-3 SLEEVE FOR .250 SRS FASTON TAB
 TE Part # 1-480418-0 205 FASTON HSG.,REC.,1 POS, NATURAL	 TE Part # 1-480417-0 110 FASTON HSG.,REC.,1 POS, NATURAL	 TE Part # 180460 INSULATING BOOT POLYAMIDE NATURAL	 TE Part # 360042-1 250 FASTON HSG.,TAB,NATURAL

Also in the Series | FASTON 187

 Crimp Terminal Housings(40)	 Insertion & Extraction Tools(1)	 Insulation Boots & Sleeves(1)	 Joints & Splices(1)
--	---	--	--



PCB Terminals(42)




Quick Disconnects(205)



Splices(1)

Customers Also Bought




TE Part #3-520107-2
ULTRA-FAST 250 ASY TAB 16-14 AWG
TPBR



TE Part #1-1415543-7
RT115524




TE Part #3-282836-2
TERMI-BLOK PCB MOUNT 90 4P Ke




TE Part #3-520141-2
ULTRAFAST 250 ASSY REC 16-14
TPBR LP




TE Part #1558660-6
T9GV5L14-22




TE Part #1825911-1
ADE08STR04-3 SPECIAL, PKG ON T



TE Part #5-1608054-4
157-32T100=R3074



TE Part #3-1423712-2
W28-X1094-10=CKTBKR,THERM,
ROCK,QC.250,FU



TE Part #3-1423712-5
W28-X1095-5=CKTBKR,THERM,ROCK,
QC.250,FUS



TE Part #7-1393211-0
T92P7D22-22

Documents

Product Drawings

187 FASTON HSG.,TAB,1 POS,NATRUAL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_360041-1_N_c-360041-1-n.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_360041-1_N_c-360041-1-n.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_360041-1_N_c-360041-1-n.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTON PCB Tabs and Receptacles](#)

English

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

English

Agency Approvals

[CSA Certificate](#)

English

[CSA Certificate](#)

English