

#### **SOLISTRAND**

TE Internal #: 36917

Closed Ring Tongue Terminal, 1/0 AWG, 3/8 Stud, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **83700 – 119500 CMA** 

Stud Size: 3/8

### **Features**

## **Product Type Features**

Ring Terminal Product Type Stud Size 3/8  Sealable No Wire Insulation Support Retention Type Non-Insulation Support  Configuration Features  Number of Holes 1  Body Features  Product Weight 26.243 g  Contact Features  Barrel Type Closed Terminal Orientation Terminal Plating Material  Mechanical Attachment  Wire Insulation Support  Without		
Sealable No Wire Insulation Support Retention Type Non-Insulation Support  Configuration Features  Number of Holes 1  Body Features  Product Weight 26.243 g  Contact Features  Barrel Type Closed  Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Ring Terminal Product Type	Closed Ring Tongue Terminal
Wire Insulation Support Retention Type  Configuration Features  Number of Holes  1  Body Features  Product Weight  26.243 g  Contact Features  Barrel Type  Closed  Terminal Orientation  Straight  Terminal Plating Material  Mechanical Attachment	Stud Size	3/8
Configuration Features  Number of Holes 1  Body Features  Product Weight 26.243 g  Contact Features  Barrel Type Closed  Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Sealable	No
Number of Holes 1  Body Features  Product Weight 26.243 g  Contact Features  Barrel Type Closed  Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Wire Insulation Support Retention Type	Non-Insulation Support
Body Features  Product Weight 26.243 g  Contact Features  Barrel Type Closed  Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Configuration Features	
Product Weight 26.243 g  Contact Features  Barrel Type Closed  Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Number of Holes	1
Contact Features  Barrel Type Closed  Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Body Features	
Barrel Type Closed Terminal Orientation Straight Terminal Plating Material Tin  Mechanical Attachment	Product Weight	26.243 g
Terminal Orientation Straight  Terminal Plating Material Tin  Mechanical Attachment	Contact Features	
Terminal Plating Material  Tin  Mechanical Attachment	Barrel Type	Closed
Mechanical Attachment	Terminal Orientation	Straight
	Terminal Plating Material	Tin
Wire Insulation Support  Without	Mechanical Attachment	
	Wire Insulation Support	Without

**Dimensions** 



Wire Size	83700 – 119500 CMA
Stud Diameter	9.91 mm[.39 in]
Tongue Thickness	1.78 mm[.07 in]
Product Length	49.68 mm[1.96 in]
Barrel Inside Diameter	11.28 mm[.444 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

### **Industry Standards**

Government Qualified Terminal	No
-------------------------------	----

### **Packaging Features**

Packaging Quantity	50
Packaging Method	Loose Piece

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



















# Customers Also Bought











TE Part #302562
TOGGLE LINKS
TE Part #300042
RETAINING PIN
TOGGLE LEVER

### **Documents**

### **Product Drawings**

TERMINAL, SOLIS R 1/0 3/8

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_36917\_AD.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_36917\_AD.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_36917\_AD.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

SOLISTRAND - QRG

English

# **Instruction Sheets**

Instruction Sheet (U.S.)

English

### Agency Approvals

UL

English