



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 150500 – 190000 CMA

Stud Size: 1/2, M12

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/2, M12
Sealable	No

Wire Insulation Support Retention Type	Non-Insulation Support
--	------------------------

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	76.208 g
----------------	----------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	150500 – 190000 CMA
Stud Diameter	13.08 mm[.515 in]
Tongue Thickness	2.31 mm[.091 in]
Product Length	54.43 mm[2.14 in]
Barrel Inside Diameter	14.35 mm[.565 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	50
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1490414-3
HYP10 SOLIS HD 1/0AWG INDENTER

TE Part # 48131
HYP8 SOLIS 1/0-4/0AWG INDENTER

TE Part # 1490413-7
HYP10 SOLIS 3/0AWG NEST

TE Part # 48134
HYP8 SOLIS 3/0AWG NEST

TE Part # 45442
HYP8/10 SOLIS 3/0AWG DIE SET

Customers Also Bought

TE Part #36919
TERMINAL SOLIS RING 1/0 1/2

TE Part #324485
SPARE WIRE CAP,RED .080-.115 INS.

TE Part #33471
TERMINAL,SOLIS R 4 3/8

TE Part #322439-003
RCAB-5120

TE Part #CAT-AM74-AM74I
AMPOWER Butt Splice

TE Part #36925
TERMINAL,SOLIS R 2/0 1/2

TE Part #325805
TERMINAL,AMPOWER 300MCM 1/2

TE Part #34320
SPLICE,SOLIS PARA 4



Documents

Product Drawings

TERMINAL,SOLIS R 3/0 1/2

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_36929_Y.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_36929_Y.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_36929_Y.3d_stp.zip

English

Customer View Model

ENG_CVM_36929_D.3d_igs.zip

English

Customer View Model

ENG_CVM_36929_D.3d_stp.zip

English

Customer View Model

ENG_CVM_36929_D.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL

English

36929

Closed Ring Tongue Terminal, 3/0 AWG, 1/2 / M12 Stud, 13.08 mm [.515 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

