# 4-1437719-8 ACTIVE

#### Triad 01 Panel/PCB Connector

TE Internal #: 4-1437719-8

4 Position Circular Connector, Cable-to-Cable, Sealable, Signal, Panel Mount, Reverse Gender, Nickel, CuZn, PBT, Triad 01 Panel /PCB Connector

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Number of Positions: 4

Connector System: Cable-to-Cable

Sealable: Yes

Contact Current Rating (Max): 3A

Circuit Application: Signal

### **Features**

### **Product Type Features**

Treader Type readares	
Connector Product Type	Connector Assembly
Connector System	Cable-to-Cable
Sealable	Yes
Circular Connector Type	Plug
Shell Type	Metal
Configuration Features	
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes
Electrical Characteristics	
Operating Voltage	60 VAC

Sealed

**Body Features** 

Environmental Protection Type



Environmental Protection	With
Shell Plating Material	Nickel
Shell Base Material	CuZn
Circular Connector Insulation Material Type	PBT
Hermetically Sealed	No
Contact Features	
Contact Current Rating (Max)	3 A
Reverse Gender	Yes
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Pin
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Mating Retention	With
Dimensions	
Assembly Length	25.9 mm
Usage Conditions	
Operating Temperature Range	-40 - 80 °C[-40 - 176 °F]
Operation/Application	
Circuit Application	Signal
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94V-2
Packaging Features	
Packaging Quantity	25

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JAN 2025

(247)

SVHC > Threshold:

Pb (4% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Hand solderable with lead free solder


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



### Also in the Series | Triad 01 Panel/PCB Connector



## **Customers Also Bought**





















### **Documents**

### **Product Drawings**

T01-0560-P04-MALE REC PANEL-PCB MOUNT RA

English

T01-0560-P04-MALE REC PANEL-PCB MOUNT RA

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_4-1437719-8\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4-1437719-8\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4-1437719-8\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

4 Position Circular Connector, Cable-to-Cable, Sealable, Signal, Panel Mount, Reverse Gender, Nickel, CuZn, PBT, Triad 01 Panel/PCB Connector



Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

**Product Specifications** 

**Product Specification** 

English