


#### SIAMEZE

TE Internal #: 4-1601140-1 Wire-to-Wire, 22 – 18 AWG Lead Wire, .32 – .82 mm<sup>2</sup> Lead Wire, Insulation Displacement (IDC), Unplated Plating, SIAMEZE, Magnet Wire Terminals

#### View on TE.com >

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: Wire-to-Wire

Lead Wire Size: 22 – 18 AWG

Termination Method to Wire & Cable: Insulation Displacement (IDC)

Stock Thickness (Magnet Wire Side): .64 mm [.025 in ]

## Features

#### **Product Type Features**



Product Type Features	
Compatible With Discrete Wire Type	Solid, Stranded
Contact Features	
Magnet Wire Terminal Type	Wire-to-Wire
Terminal Plating Material	Unplated
Terminal Orientation	Straight
Termination Features	
Termination Method to Wire & Cable	Insulation Displacement (IDC)
Dimensions	
Terminal Height	6.35 mm[.25 in]
Lead Wire Size	22 – 18 AWG
Stock Thickness (Magnet Wire Side)	.64 mm[.025 in]
Product Length	6.35 mm[.25 in]
Usage Conditions	
Insulation Option	Uninsulated

## 4-1601140-1

Wire-to-Wire, 22 – 18 AWG Lead Wire, .32 – .82 mm<sup>2</sup> Lead Wire, Insulation Displacement (IDC), Unplated Plating, SIAMEZE, Magnet Wire Terminals



### **Operation/Application**

Compatible With Wire Base Material

## Packaging Features

Packaging Method

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC Compliant China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free Not applicable for solder process capability Solder Process Capability

Copper

Loose Piece

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




## 4-1601140-1

Wire-to-Wire, 22 – 18 AWG Lead Wire, .32 – .82 mm<sup>2</sup> Lead Wire, Insulation Displacement (IDC), Unplated Plating, SIAMEZE, Magnet Wire Terminals





# Customers Also Bought



TE Part #62429-1	TE Part #42770-2	TE Part #62935-1	TE Part #641969-1
MAG-MATE TERM 27-30 013TPBR	250 FASTON FLAG TAB 18-14 AWG TPBR	MAG-MATE TERM 27-23 016 TPBR	06P UMNL PIN HDR ASSY V2 NATL



## Documents

Product Drawings

053-001-000=LEADLOK2,SMZ

English

053-001-000=LEADLOK2,SMZ

English

**CAD** Files

**C** For support call+1 800 522 6752

## 4-1601140-1

Wire-to-Wire, 22 – 18 AWG Lead Wire, .32 – .82 mm<sup>2</sup> Lead Wire, Insulation Displacement (IDC), Unplated Plating, SIAMEZE, Magnet Wire Terminals



**Customer View Model** 

ENG\_CVM\_CVM\_4-1601140-1\_F.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_4-1601140-1\_F.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_4-1601140-1\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1654742\_HOUSEHOLD\_APPLIANCES\_RAST5

English

Magnet Wire Terminals & Splices

English

1-1773702-7 \_IDC\_Magnet\_Wire

English

Product Specifications Application Specification

English