



EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters



Current Rating: 20 A

Input Termination Type: Terminal Block

Output Termination Type: Terminal Block

Wiring Configuration: DELTA (3 wire + ground)

Operating Voltage: 520 VAC

Features

Product Type Features

Filtering Requirements	Filtered
Input Termination Type	Terminal Block
Output Termination Type	Terminal Block

Configuration Features

Wiring Configuration	DELTA (3 wire + ground)
----------------------	-------------------------

Electrical Characteristics

Leakage Current (Max) (230VAC, 50Hz)	5
Current Rating	20 A
Operating Voltage	520 VAC

Mechanical Attachment

Product Mount Type	Chassis Mount
--------------------	---------------

Usage Conditions

Operating Temperature Range	-25 – 85 °C
-----------------------------	-------------



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 4-1609969-3
KEH 40A 2S SP DELTA 520VAC



TE Part # 4-1609969-1
KEH 15A 2S SP DELTA 520VAC

Also in the Series | Corcom KEH



3-Phase Filters(38)

Customers Also Bought



TE Part #1-2176163-0
UPF50 0.1% 5PPM 250R




TE Part #1-2176163-5
UPF50 0.1% 5PPM 500R



TE Part #CAT-HST-RNF100-X
RNF-100-X Heat Shrink Tubing



TE Part #1634201-4
PRFDB1-16F-BR000



TE Part #5069872029
CGPT-19/9.5-0-STK



TE Part #5069752009
CGPT-19/9.5-X-STK



TE Part #81500-000
VS803-51 VERTICAL LEVEL SENSOR

Documents

Product Drawings
KEH 20A 2S SP DELTA 520VAC
English

CAD Files
Customer View Model
ENG_CVM_CVM_4-1609969-2_B.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_4-1609969-2_B.3d_stp.zip
English
Customer View Model
ENG_CVM_CVM_4-1609969-2_B.2d_dxf.zip
English

3D PDF
3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

20KEHD10BFPD

20 A 3-Phase Filter, Terminal Block Input, Terminal Block Output, DELTA (3 wire + ground), 520 VAC, Chassis Mount, Corcom KEH



Datasheets & Catalog Pages

KEH SERIES

English