EV200HRANA <a>ACTIVE

Kilovac | Kilovac EV200 TE Internal #: 4-1618387-1 High Voltage Contactor, DC, 1 Form X SPST-NO, 500 A Contact Rating, 28 VDC Coil Voltage, 12 – 900 VDC Contact Voltage, Chassis Mount, Kilovac EV200

View on TE.com >

Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: High Voltage Contactor

Current Type: DC

Contact Arrangement: 1 Form X SPST-NO

Contact Current Rating: 500 A

Coil Voltage Rating: 28 VDC

Features

Product Type Features

Relay & Contactor Type

TE

High Voltage Contactor

Configuration Features

Relay Options	Not RF Rated, Power Switching					
Contact Arrangement	1 Form X SPST-NO					
Electrical Characteristics						
Coil Resistance	5.7 Ω					
Contact Switching Voltage (Max)	900 VDC					
Contact Current Rating	500 A					
Coil Voltage Rating	28 VDC					
Contact Voltage Rating	12 – 900 VDC					
Contact Features						
Contact Material	Copper					
Termination Features						
Main Termination & Connection Type	Stud Terminals					
Coil Termination & Connection Type	Flying Leads					
Mechanical Attachment						
Product Mounting Feature Type	Flange with Mounting Holes					

C For support call+1 800 522 6752

EV200HRANA

High Voltage Contactor, DC, 1 Form X SPST-NO, 500 A Contact Rating, 28 VDC Coil Voltage, 12 – 900 VDC Contact Voltage, Chassis Mount, Kilovac EV200



Product Mount Type	Chassis Mount
Operation/Application	
Current Type	DC
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



EV200HRANA


High Voltage Contactor, DC, 1 Form X SPST-NO, 500 A Contact Rating, 28 VDC Coil Voltage, 12 – 900 VDC Contact Voltage, Chassis Mount, Kilovac EV200



Also in the Series | Kilovac EV200



Customers Also Bought



= 12				
TE Part #9-1617788-1	TE Part #179185-000	TE Part #8-1616352-5	TE Part #4-1616360-9	
FCA-125-CY3=MIDRANGE RELAY	202K174-100-0	51406014=TERMINAL #6 #22-18 WI	51807190/L7SPLOSO=LOCKWASHER,	
			1/4 SPLIT	



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1618387-1_J.2d_dxf.zip

English

Customer View Model

C For support call+1 800 522 6752

EV200HRANA

High Voltage Contactor, DC, 1 Form X SPST-NO, 500 A Contact Rating, 28 VDC Coil Voltage, 12 – 900 VDC Contact Voltage, Chassis Mount, Kilovac EV200



ENG_CVM_CVM_4-1618387-1_J.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_4-1618387-1_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 5-1773450-5_sec7_EV200A

English

KILOVAC EV200 Series Contactor

English

Agency Approvals CE Declaration of Conformity

English