



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **High Voltage Contactor**

Current Type: **DC**

Contact Arrangement: **1 Form X SPST-NO-DM**

Contact Current Rating: **100 A**

Coil Voltage Rating: **48 VDC**

Features

Product Type Features

Relay & Contactor Type	High Voltage Contactor
------------------------	------------------------

Configuration Features

Auxiliary Switch Contact Arrangement	None
Contact Number of Poles	1
Contact Arrangement	1 Form X SPST-NO-DM

Electrical Characteristics

Coil Resistance	392 Ω
Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	100 A
Coil Voltage Rating	48 VDC

Body Features

Enclosure Type	Environmentally Sealed
----------------	------------------------

Termination Features

Main Termination & Connection Type	M5 Female
Coil Termination & Connection Type	Connector

Mechanical Attachment

Torque (Main)	30 – 40 in-lbs
Product Mount Type	Chassis Mount



Dimensions

Coil Wire Length	381 mm[15 in]
Wire Size	22 AWG

Operation/Application

Current Type	DC
--------------	----

Packaging Features

Packaging Method	Individual
------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (.35% in 74025572) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 6-1618416-7
EV210HXANB 1000V 24-48VDC COIL
NO AUX



TE Part # 1-1618416-0
EV210HXANA 1000V 24-48VDC COIL
NO AUX



TE Part # 1-1618002-9
EV200HDANA=RELAY, SPST-NO



TE Part # 1618416-9
EV210GXANA 1000V 24-48VDC COIL
NC AUX



TE Part # 1618416-6
EV210HAANB 1000V 9-36VDC COIL
NO AUX



TE Part # 2-1618002-0
EV200HJANA=RELAY, SPST-NO WITH



TE Part # 9-1618415-8
EV210GAANA 1000V 9-36VDC COIL
NC AUX



TE Part # 1618387-7
LEV200A4NAA=RELAY, SPST-NO



TE Part # 9-1618415-7
EV210HAANA 1000V 9-36VDC COIL
NO AUX



TE Part # 2-1618393-6
LEV200H6ANA=RELAY,SPST-NO



TE Part # 1618002-3
EV200A2ANA=RELAY, EV200 SPST-N



TE Part # 1618416-5
EV210GAANB 1000V 9-36VDC COIL
NC AUX




TE Part # 1-1618002-1
EV200ADANA=RELAY, EV200 SPST-
NO

Also in the Series | Kilovac LEV100



DC Contactors(11)



DC Relays(11)



Electromechanical Relays(13)

Customers Also Bought



TE Part #234168-1
EXTRACTION TOOL(DYNAMIC D-3)

TE Part #1-5499786-1
A/L UNIV HDR 60P RA LAT

TE Part #33465
TERMINAL,SOLIS R 6 1/4

TE Part #41274-1
250 FASTON,REC.,18-14 AWG,TPBR

TE Part #1625854-3
0603 PROBE PAD

TE Part #34112
SOLIS R 22-16COMM 22-18MIL 10

TE Part #33460
TERMINAL,SOLIS R 8 10

TE Part #91558-1
CCII D-3 L REC TAB 20-16 ASSY

TE Part #644752-7
07P MTA156 HDR ASSY SQ STR F/L

TE Part #EG8793-000
400R0111-16-9

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1618391-2_D2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-1618391-2_D2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-1618391-2_D2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Kilovac LEV100 Series 900 Vdc Contactor

English

Agency Approvals



CE Declaration of Conformity

English