



Connectors > Lighting Connectors > LED Holders



Lighting Connector Features Included: **Optic Compatible, Zhaga Inspired**

Operating Voltage: **60 VDC**

Termination Method to Wire & Cable: **Poke-In**

Number of Positions: **1**

Connector & Contact Terminates To: **Printed Circuit Board**

Features

Product Type Features

|                                   |                       |
|-----------------------------------|-----------------------|
| COB Substrate Thickness           | 1 mm                  |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

|                                      |                                  |
|--------------------------------------|----------------------------------|
| Lighting Connector Features Included | Optic Compatible, Zhaga Inspired |
| Number of Positions                  | 1                                |

Electrical Characteristics

|                   |        |
|-------------------|--------|
| Operating Voltage | 60 VDC |
|-------------------|--------|

Contact Features

|                                      |           |
|--------------------------------------|-----------|
| Contact Mating Area Plating Material | Gold (Au) |
| Contact Current Rating (Max)         | 3 A       |

Termination Features

|                                    |         |
|------------------------------------|---------|
| Termination Method to Wire & Cable | Poke-In |
|------------------------------------|---------|

Usage Conditions

|  |  |
|--|--|
|  |  |
|--|--|



|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -40 – 105 °C[-40 – 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

|                     |       |
|---------------------|-------|
| Circuit Application | Power |
|---------------------|-------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

|   |  |
|---|--|
| EU RoHS Directive 2011/65/EU                  | Compliant  |
| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JUNE 2022 (224)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Yet Reviewed for halogen content   |
| Solder Process Capability                     | Not reviewed for solder process capability   |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 4-2213678-3  
Z35 LED HOLDER 12\*15MM  
PANHEAD LEDiL



TE Part # 2271203-1  
2PIN WIRE TO WIRE CONNECTOR



TE Part # 4-2213678-5  
Z35 LED HOLDER 13.5\*13.5MM  
PANHEAD LEDiL



TE Part # 4-2213480-1  
LUMAWISE Z50 HOLDER 2828 LEDiL






TE Part # 4-2325807-2  
LUMAWISE Z45 LED HOLDER 19X19 typA LEDiL



TE Part # 4-2325811-2  
LUMAWISE Z45 LED HOLDER 20X24mm LEDiL

Also in the Series

LUMAWISE LED Holders



LED Holders(70)

Customers Also Bought



TE Part #2213254-2  
LUMAWISE LED HOLDER Z50 STD PROFILE 1919



TE Part #4-2213678-5  
Z35 LED HOLDER 13.5\*13.5MM PANHEAD LEDiL



TE Part #1-1337480-0  
SMB FM BHSkt 50Ohm Gold Pltd



TE Part #2213899-4  
RCPT ASSY,DIMMABLE PHOTOCONTROL,105C,3/4



TE Part #2213678-5  
Z35 MINI LED HOLDER 13.5\*13.5MM PANHEAD



TE Part #4-2325807-2  
LUMAWISE Z45 LED HOLDER 19X19 typA LEDiL

Documents

Product Drawings

LUMAWISE Z45 LED HOLDER 19X19 typB LEDiL

English

CAD Files

3D PDF

3D



Customer View Model

[ENG\\_CVM\\_CVM\\_4-2325807-3\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_4-2325807-3\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_4-2325807-3\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[LUMAWISE LED HOLDERS + LEDiL ELISE REFLECTORS](#)

English

[LUMAWISE TYPE Z LED HOLDERS](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

English

[Application Specification](#)

English