



Connectors > PCB Connectors > PCB Headers & Receptacles > PowerTube HVP-HD 1400 180° Headers



PCB Mount Orientation: **Vertical**
Connector System: **Bus Bar-to-Wire**
Number of Positions: **1**
Number of Rows: **1**
Header Type: **Fully Shrouded**

[All PowerTube HVP-HD 1400 180° Headers \(90\)](#)

Features

Product Type Features

Connector Shape	Circular
Connector System	Bus Bar-to-Wire
Header Type	Fully Shrouded
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector Product Type	Connector Assembly

Configuration Features

PCB Mount Orientation	Vertical
Number of Positions	1
Number of Rows	1

Electrical Characteristics

Operating Voltage	1000 VDC
-------------------	----------



Nominal Voltage Architecture	1000 V
------------------------------	--------

Body Features

Connector & Keying Code	A
Primary Product Color	Black

Contact Features

Mating Pin Diameter	14 mm[.55 in]
Contact Mating Area Plating Material	Silver (Ag)
Contact Type	Pin

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------

Mechanical Attachment

Mating Alignment Type	Polarization
PCB Mount Retention	Without
Connector Mounting Type	Panel Mount
Mating Alignment	With

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP6K9K
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Tray
------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JAN 2025 (247)
Candidate List Declared Against: JAN 2025 (247)
SVHC > Threshold:
Decamethylcyclopentasiloxane (D5) (2.41% in 30408935353)
Octamethylcyclotetrasiloxane (D4) (.47% in 30558580572)

Article Safe Usage Statements:
Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-AQ4-HFFTH1400
PowerTube HVP-HD 1400 Plug Pre-Assemblies




TE Part # 2446256-3
HD1400 PRE-ASSY SU-BEAM,NO TPA, FINGER



TE Part # 2405341-2
BLIND PLUG BLOCK ASSEMBLY, TOOL UNLOCK.




TE Part # 2446256-1
HD1400 PRE-ASSY,NO TPA,FINGER




TE Part # 2446256-4
HD1400 PRE-ASSY SU-BEAM,NO TPA, TOOL



TE Part # 2407804-1
COVER,SHIPPING CAP FOR HD1400 HEADR



TE Part # 2410866-2
PROP,HD1000 BLIND PLUG ,TOOL UNLOOK



TE Part # 2446256-2
HD1400 PRE-ASSY,NO TPA,TOOL



Also in the Series | [PowerTube HVP-HD 1400](#)

Automotive Connector Caps & Covers (1)	Automotive Connector EMC Shielding (5)	Automotive Housings(28)	Automotive Terminals(4)
Connector Caps & Covers(1)	Other Automotive Connector Accessories(29)	PCB Headers & Receptacles(189)	Rectangular Power Connectors(189)

Customers Also Bought

TE Part #CAT-AQ4-HHD140090 PowerTube HVP-HD 1400 90° Headers	TE Part #1376350-2 025 I/O CAP HSG ASSY 8P	TE Part #CAT-T4827-T273 TIMER, RECEPTACLE AND TAB	TE Part #CAT-AQ4-HHD1400180 PowerTube HVP-HD 1400 180° Headers
TE Part #T4111001041-000 RPC-M12-MS-4CON-PG7-MU	TE Part #2437601-1 AMPSEAL HDR 8P RA COD1, TIN		

Documents

- [Product Drawings](#)
[1POS,HVP1400,ASSY,180DEG,COD A](#)
English
- [CAD Files](#)
[Customer View Model](#)
[ENG_CVM_CVM_4-2399606-1_E.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_4-2399606-1_E.3d_igs.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_4-2399606-1_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[HIVONEX CONNECTORS & CHARGING SOLUTIONS](#)

English

Product Specifications

[Application Specification](#)

English