4-2399606-3 <

PowerTube | PowerTube HVP-HD 1400

TE Internal #: 4-2399606-3 Vertical, Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole - Screw, Sealable, Power, Blue, Tray, PowerTube HVP-HD 1400

View on TE.com >





PCB Mount Orientation: Vertical Connector System: Bus Bar-to-Wire Number of Positions: 1

Number of Rows: 1

Header Type: Fully Shrouded

All PowerTube HVP-HD 1400 180° Headers (90)



Features

Product Type Features

Connector Shape	Circular
Connector System	Bus Bar-to-Wire
Header Type	Fully Shrouded
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector Product Type	Connector Assembly
Configuration Features	
PCB Mount Orientation	Vertical
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	1000 VDC

Vertical, Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole -Screw, Sealable, Power, Blue, Tray, PowerTube HVP-HD 1400



Body Features	
Connector & Keying Code	С
Primary Product Color	Blue
Contact Features	
Mating Pin Diameter	14 mm[.55 in]
Contact Mating Area Plating Material	Silver (Ag)
Contact Type	Pin
Termination Features	
Termination Method to PCB	Through Hole - Screw
Mechanical Attachment	
Mating Alignment Type	Polarization
PCB Mount Retention	Without
Connector Mounting Type	Panel Mount
Mating Alignment	With
Usage Conditions	
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
IP Rating	IP6K9K
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tray

Vertical, Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole -Screw, Sealable, Power, Blue, Tray, PowerTube HVP-HD 1400



Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (2.41% in 30558505352) Octamethylcyclotetrasiloxane (D4) (.47% in 30408935353) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

other sources.

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-AQ4-HFFTH1400 PowerTube HVP-HD 1400 Plug Pre-Assemblies



TE Part # 2446256-3 HD1400 PRE-ASSY SU-BEAM,NO TPA, FINGER



TE Part # 2446256-1 HD1400 PRE-ASSY,NO TPA,FINGER






Also in the Series | PowerTube HVP-HD 1400

& For support call+1 800 522 6752

Vertical, Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole -Screw, Sealable, Power, Blue, Tray, PowerTube HVP-HD 1400








Rectangular Power Connectors(189)

Customers Also Bought



Vertical, Bus Bar-to-Wire, 1 Position, Fully Shrouded, Silver (Ag), Through Hole -Screw, Sealable, Power, Blue, Tray, PowerTube HVP-HD 1400





Documents

Product Drawings 1POS,HVP1400,ASSY,180DEG,COD C

English

CAD Files

Customer View Model ENG_CVM_CVM_4-2399606-3_E.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-2399606-3_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-2399606-3_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications Application Specification

English