




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **1.31 – 2.08 mm<sup>2</sup>**

Terminal Orientation: **Straight**

Contact Base Material: **Brass**

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Pre-Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Product Length	17.65 mm[.695 in]
----------------	-------------------

Terminal Material Thickness	.51 mm[.02 in]
Wire Size	1.31 – 2.08 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts







**KIT**

REPRESENTATION ONLY


TE Part # 7-2150671-7  
OC-140F-CRIMPTOOLINGKIT




TE Part # 1438246-1  
SPLICE, BUTT, HEATER WIRE 18-16 AWG BR




TE Part # 1217440-8  
STRAIN RELIEF,SPECIAL PH BRZ




TE Part # 1438246-2  
SPLICE, BUTT, HEATER WIRE 18-16AWG PTPBR




TE Part # 61684-3  
SPECIAL TAB TAB TNSL WIRE GPBR




TE Part # 61684-5  
SPECIAL TAB TAB TNSL WIRE NTPBR




TE Part # 63723-2  
RCPT TWISTLOK 20-16 0255 TPPHBZ




TE Part # 1217881-1  
250 FUSE RCPT 020PTPBR




TE Part # 61248-1  
TAB INSULATION PIERCING 20-18 AWG TPCUBR



TE Part # 63271-1  
COIL TERMINAL TERMINAL 24-20 AWG PTPBR




TE Part # 962907-2  
FLACHSTECK 4,8 SPEZ




TE Part # 61280-1  
BUTTON CONTACT 20-16 AWG BR


Customers Also Bought




TE Part #1-480304-0  
03P CMNL PLUG HSG P/M NATL




TE Part #1-206763-2  
METRIMATE PIN HEADER ASSY,24P




TE Part #350714-1  
15P UMNL PIN HDR ASSY 94VO




TE Part #2-1879338-5  
CPF 0603 47K5 1% 50PPM 1K RL




TE Part #2311765-2  
AMPL REC, HD20, R/A, 9P, S/L, .318



TE Part #325703  
TERMINAL,AMPOWER 250MCM 3/8



TE Part #1981568-1  
MICRO USB, TYPE B,



TE Part #2301838-1  
AMPL REC HD20, VERT, 9P, B/L,4-40 INS



Documents

Product Drawings

FUSE TERMINAL RECEPTACLE 16-14 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_40626\_AG\_c-40626-ag.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_40626\_AG\_c-40626-ag.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_40626\_AG\_c-40626-ag.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.