



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**
Mating Tab Width: **6.35 mm [.25 in]**
Mating Tab Thickness: **.81 mm [.032 in]**
PCB Hole Diameter: **3.3 mm [.13 in]**
Profile Height from PCB: **11.1 mm [.437 in]**

Features

Product Type Features

Insertion Force	Normal
Terminal Features	Stud Hole

Contact Features

Contact Mating Area Plating Material Thickness	1.01 μm[40 μin]
PCB Contact Termination Area Plating Material Thickness	1.01 μm[40 μin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Size	6.35
Terminal Orientation	Right Angle

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------



Product Terminates To	Printed Circuit Board
Dimensions	
Stud Diameter	3.3 mm[.13 in]
PCB Hole Diameter	3.3 mm[.13 in]
Profile Height from PCB	11.1 mm[.437 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-30 – 110 °C[-22 – 230 °F]
Industry Standards	
Compatible With Agency/Standards Products	CSA, UL
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on




requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 41482 250 FASTON TAB TPBR	 TE Part # 42802-1 250 FASTON TAB TPBR	 TE Part # 62166-1 250 FASTON TAB BR	 TE Part # 63971-1 250 FASTON TAB TPBR
 TE Part # 42117-2 250 FASTON TAB TPBR	 TE Part # 61836-1 205 FASTON TAB BR	 TE Part # 60080-2 250 FASTON TAB TPBR	 TE Part # 61365-1 250 FASTON TAB TPBR
 TE Part # 42822-2 250 FASTON TAB TPBR	 TE Part # 62261-1 250 FASTON TAB BR	 TE Part # 63038-1 250 FASTON TAB TPBR	 TE Part # 1217558-2 250 FASTON,TAB,TPBR
 TE Part # 42506-2 250 FASTON TAB TPBR	 TE Part # 41291 250 FASTON,TAB,BR	 TE Part # 41481 250 FASTON TAB TPBR	 TE Part # 41484 250 FASTON TAB TPBR



TE Part # 42214-2
250 FASTON TAB TPBR



TE Part # 61499-1
250 FASTON TAB TPBR



TE Part # 41480
250 FASTON TAB TPBR



TE Part # 41290
250 FASTON, TAB, BR

Also in the Series | FASTON 250



Compression Connectors(4)



Crimp Terminal Housings(116)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(134)



Quick Disconnects(421)



Splices(4)

Customers Also Bought



TE Part #130191
TERM, SOLIS R 12-10 5MM



TE Part #1-770182-1
09P MINI UMNL ASSY VO SNAU LF



TE Part #CAT-HST-RNF3000
RNF-3000 Heat Shrink Tubing



TE Part #4-641215-0
10P MTA100 HDR ASSY FL/ST 30AU



TE Part #5-103946-1
8X2 MTE SHRD PIN SR POL .100CL



TE Part #5-104362-8
09 MTE HDR SRST LATCH W/HLDWN



TE Part #1-770743-1
10P MINI UMNL HDR ASSY VRT LF



TE Part #41290
250 FASTON, TAB, BR



Documents

Product Drawings

250 FASTON TAB TPBR

English

CAD Files

Customer View Model

ENG_CVM_CVM_42095-1_AA.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_42095-1_AA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_42095-1_AA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

FASTON Tabs

English

Product Specifications

Application Specification

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English