42673-2 - ACTIVE

TE Internal #: 42673-2 Rectangular Tongue Terminal, 10 – 8 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated View on TE.com >



Terminals & Splices > Spade Terminals



Spade Terminal Type: Rectangular Tongue Terminal Wire Size: 10382 – 16507 CMA

Stud Size: #10

Features

Product Type Features

Shape Description

Stud Size

Flat Sided

#10

Sealable	No	
Compatible With Discrete Wire Type	Stranded	
Wire Insulation Support Retention Type	Non-Insulation Support	
Configuration Features		
Number of Holes	1	
Body Features		
Product Weight	2.029 g	
Contact Features		
Contact Base Material	Brass	
Spade Terminal Type	Rectangular Tongue Terminal	
Barrel Type	Open	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Contact Underplating Material	None	

42673-2

Rectangular Tongue Terminal, 10 – 8 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Mechanical Attachment

Wire Insulation Support	Without	
Dimensions		
Wire Size	10382 – 16507 CMA	
Stud Diameter	4.82 mm[.19 in]	
Tongue Thickness	1.02 mm[.04 in]	
Product Length	18.29 mm[.72 in]	
Barrel Inside Diameter	3.3 mm[.13 in]	
Usage Conditions		
Insulation Option	Uninsulated	
Operation/Application		
Compatible With Wire Base Material	Copper	
Industry Standards		
Government Qualified Terminal	No	
Packaging Features		
Packaging Quantity	5000	
Packaging Method	Strip/Reel	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not applicable for solder process capability		
Product Compliance Disclaimer			

42673-2

Rectangular Tongue Terminal, 10 – 8 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



- 7/

TE Part #42938-2 RING 16-14 AWG TPBR	TE Part #33463 TERMINAL,SOLIS R 8 3/8	TE Part #4-1971773-2 PTL 1X2 PLUG HSG STD TEMP KEY D YEL	TE Part #1-1355122-2 SHIELD, 60POSN. RECEPTACLE HOU



Documents

Product Drawings RING .190 (4.82 MM) 8-10 AWG TPBR English CAD Files 3D PDF

C For support call+1 800 522 6752

42673-2

Rectangular Tongue Terminal, 10 – 8 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Customer View Model

ENG_CVM_CVM_42673-2_K_c-42673-2-k.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_42673-2_K_c-42673-2-k.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_42673-2_K_c-42673-2-k.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Engineering Report

English

Agency Approvals UL Report

English