443976-3 • ACTIVE

AMPLIMITE

TE Internal #: 443976-3 25 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal

View on TE.com >

Connectors > D-Shaped Connectors



Number of Positions: 25 Connector & Housing Type: Receptacle Connector System: Cable-to-Board Connector Mounting Type: Board Mount Connector Shell Size: 3

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board



Connector Shell Size	3
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
PCB Mount Orientation	Vertical
Power/Signal/Coax Combination	No
Number of Positions	25
Body Features	
Front Shell Material	Steel
D-Sub Connector Insert Arrangement	MS18275-1
Rear Shell Plating Material	Cadmium
Rear Shell Material	Steel
Front Shell Plating Material	Cadmium
Contact Features	
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Beryllium Copper, Brass

443976-3

25 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



Contact Size	Size 20
	50 µin
Contact Type	Socket
Contact Current Rating (Max)	5 A
Contact Options	Installed
Termination Features	
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Diameter	.76 mm[.03 in]
Termination Post & Tail Length	4.78 mm[.188 in]
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Mating Alignment	Without
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	

Operating Temperature Range

-55 – 125 °C[-67 – 257 °F]

applicable governmental regulations relevant to your geographic location.

Operation/Application

Circuit Application	Signal
Packaging Features	
Packaging Method	Package
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Cd (2.2% in Component Part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all

443976-3

25 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



Halogen Content

Not Yet Reviewed for halogen content


Solder Process Capability

Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Customers Also Bought



TE Part #5745833-1 CABLE CLAMP KIT,SZ 3




TE Part #443976-4 AMPLIMITE,ASY,RCPT,POSTD,109,4




TE Part #206071-1 SZ 22, SOCKET, NON-MAG



TE Part #5212044-1 5 CIRC DIN RCPT GRND SHLD





Documents

Product Drawings

AMPLIMITE, ASY, RCPT, POSTD, 109, 3

C For support call+1 800 522 6752

443976-3

25 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



English CAD Files 3D PDF 3D Customer View Model ENG_CVM_CVM_443976-3_H.2d_dxf.zip English Customer View Model ENG_CVM_CVM_443976-3_H.3d_igs.zip English Customer View Model ENG_CVM_CVM_443976-3_H.3d_igs.zip English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.