TE Internal #: 485030-1

Closed Ring Tongue Terminal, 18 – 14 AWG, 5/16 / M8 Stud, 8.33

mm [.328 in] Stud Diameter, Open Barrel, Straight, Tin Plating,


Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1624 – 4106 CMA

Stud Size: 5/16, M8

#### **Features**

### **Product Type Features**

Product Type realures	
Shape Description	D Shaped
Terminal Features	Sheared
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	5/16, M8
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	1.103 g
Contact Features	
Contact Base Material	Brass
Barrel Type	Open

Straight

Tin

Terminal Orientation

Terminal Plating Material



Contact Underplating Material	Nickel
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
	.085 in
Wire Size	1624 – 4106 CMA
Stud Diameter	8.33 mm[.328 in]
Tongue Thickness	.71 mm[.028 in]
Product Length	23.62 mm[.93 in]
Barrel Inside Diameter	1.52 mm, 3.7 mm[.06 in][.146 in]
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
Compatible Insulation Diameter Range	2.16 – 3.56 mm[.085 – .14 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	3000
Packaging Method	Strip/Reel
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025

(247)

Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

#### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts




TE Part # 350080-1 RING TERMINAL 18-14 0.245 X 1.110 TPSTL



TE Part # 2836275-2 OCEAN\_2.0\_Applicator-S-140F220F-RSA



TE Part # 2836275-1
OCEAN\_2.0\_Applicator-S-140F220F-RSM



TE Part # 7-2836275-7

OCEAN\_2.0\_SPARE\_PART\_KIT140F220F

# Customers Also Bought



TE Part #520973-2 ULTRA-POD 187 ASSY REC 20-16 AWG TPBR



TE Part #42913-2 RING TONGUE 10-6 AWG BR



TE Part #2-34164-2 TERMINAL,PG R 16-14 3/8





TE Part #936615-2 HYBRID 42P PLUG COVER HSG



TE Part #61844-1 RING TERMINAL 12-10 AWG .0395X. 650 TPCU



TE Part #41126 RING 12-10 AWG TPBR







TE Part #DT06-12SA-EP06
PLG, 12P, GRY, N, SEAL RET,ENH KEY,
CAP,A



#### **Documents**

#### **Product Drawings**

RING 18-14 AWG TPBR

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_485030-1\_G\_c-485030-1-g.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_485030-1\_G\_c-485030-1-g.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_485030-1\_G\_c-485030-1-g.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

**Engineering Report** 

English

### Agency Approvals

**UL Report** 

English