487406-3 - ACTIVE

TE Internal #: 487406-3 Socket Contact, Tin-Lead, FFC, Insulation Displacement (IDC), Phosphor Bronze, Signal, -65 – 105 °C [-85 – 221 °F] View on TE.com >



Connectors > Contacts > Connector Contacts > 2.54mm FFC Connectors Socket Contacts



Contact Type: Socket

Contact Mating Area Plating Material: Tin-Lead

Compatible With Wire & Cable Type: FFC

Termination Method to Wire & Cable: Insulation Displacement (IDC)

Contact Base Material: Phosphor Bronze

All 2.54mm FFC Connectors Socket Contacts (34)

Features

Configuration Features

Compatible With Wire & Cable Type	FFC									
Contact Features										
Contact Underplating Material	Nickel									
PCB Contact Termination Area Plating Material	Tin-Lead									
	50 µin									
Contact Type	Socket									
Contact Mating Area Plating Material	Tin-Lead									
Contact Base Material	Phosphor Bronze									
Contact Current Rating (Max)	2 A									
Termination Features										
Termination Method to Wire & Cable	Insulation Displacement (IDC)									
Product Terminates To	Wire & Cable									
Dimensions										

487406-3

Socket Contact, Tin-Lead, FFC, Insulation Displacement (IDC), Phosphor Bronze, Signal, -65 – 105 °C [-85 – 221 °F]



Accepts Conductor Width	1.27 mm[.05 in]
	1.27 mm[.05 m]
Jsage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Reel
•	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	
For compliance documentation, visit the product page on TE.com>	Not Compliant Compliant with Exemptions
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Not Compliant

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


487406-3

Socket Contact, Tin-Lead, FFC, Insulation Displacement (IDC), Phosphor Bronze, Signal, -65 – 105 °C [-85 – 221 °F]





Customers Also Bought



MIR RECEPTACLE PTPPHBZ	PLUG ASSY	FC S, TAB TSAU RL	III+ SK1,24-20,1 IN-LEAD,LP
	je Ser		
	ADVERTON.		



Documents

Product Drawings FFC RCPT CONT SP 50AU RL

English

CAD Files

Customer View Model

ENG_CVM_CVM_487406-3_AV.2d_dxf.zip

English

3D PDF

487406-3

Socket Contact, Tin-Lead, FFC, Insulation Displacement (IDC), Phosphor Bronze, Signal, -65 – 105 °C [-85 – 221 °F]



3D

Customer View Model ENG_CVM_CVM_487406-3_AV.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_487406-3_AV.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Extraction Tools

English