5-1478762-1 - ACTIVE

TE Internal #: 5-1478762-1 Shielded, Backshell, Straight, 1 Shell Size, 9 Position, Split-Ring Ferrule Termination

View on TE.com >



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Style: Shielded Connector Backshell Product Type: Backshell Body Orientation: Straight Compatible With Connector Shell Size: 1 Number of Positions: 9

Features

Product Type Features

| Connector Backshell Product Style | Shielded |
|--------------------------------------|----------------------------|
| Connector Backshell Product Type | Backshell |
| Termination Device Type | Split-Ring Ferrule |
| Configuration Features | |
| Number of Positions | 9 |
| Body Features | |
| Cable Exit Angle | 180° |
| Housing Features | |
| Body Orientation | Straight |
| Compatible With Connector Shape | D-Shaped |
| Usage Conditions | |
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
| Operation/Application | |
| Compatible With Connector Shell Size | 1 |

5-1478762-1

Shielded, Backshell, Straight, 1 Shell Size, 9 Position, Split-Ring Ferrule Termination



Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Calalar Draacaa Caraalailitu | Not opplicable for colder process concluit. |

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought

5-1478762-1

Shielded, Backshell, Straight, 1 Shell Size, 9 Position, Split-Ring Ferrule Termination







Documents

Product Drawings Metal backshell 9 way Top Entry-KIT

English

PTPB

Metal backshell 9 way Top Entry-KIT

English

Metal backshell 9 way Top Entry-KIT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-1478762-1_G_c-5-1478762-1-g.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-1478762-1_G_c-5-1478762-1-g.3d_igs.zip

English

Customer View Model

C For support call+1 800 522 6752

5-1478762-1

Shielded, Backshell, Straight, 1 Shell Size, 9 Position, Split-Ring Ferrule Termination



ENG_CVM_CVM_5-1478762-1_G_c-5-1478762-1-g.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English