




Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Style: **Shielded**  
Connector Backshell Product Type: **Backshell**  
Body Orientation: **Straight**  
Compatible With Connector Shell Size: **3**  
Number of Positions: **25**

Features

Product Type Features

Connector Backshell Product Style	Shielded
Connector Backshell Product Type	Backshell
Termination Device Type	Split-Ring Ferrule

Configuration Features

Number of Positions	25
---------------------	----

Body Features

Cable Exit Angle	45°
------------------	-----

Housing Features

Body Orientation	Straight
Compatible With Connector Shape	D-Shaped

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Compatible With Connector Shell Size	3
--------------------------------------	---



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



TE Part #207015-1  
HSG, PLUG, 4 POSN, SM METRIC

TE Part #1658537-3  
SOCKET CONT DUPL PLT STRIP HD-

TE Part #1484948-1  
AMPLIMITE, PLG ASY, 37P, SZ4, SER109

TE Part #CAT-P592-R472A  
PIDG Ring Tongue Terminals

TE Part #1484950-1  
AMPLIMITE PLG ASY, 25P, SZ3, SER109

TE Part #5207719-2  
FEMALE SCREWLOCK KIT, BULK PKG

TE Part #640587-1  
06P UMNL HDR ASSY R/A V2

TE Part #968073-2  
PQ5, 2 Sn rec LL unseal. >2, 5-4

TE Part #669507-000  
S02-10-R

Documents

Product Drawings

Metal backshell 25 way 45 Deg Entry-KIT

English

Metal backshell 25 way 45 Deg Entry-KIT

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_5-1478763-3\_G.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_5-1478763-3\_G.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_5-1478763-3\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



[Product Specifications](#)

[Application Specification](#)

English