

TE Internal #: 5-1879021-7  
22 ohm, Surface Mount Power Resistor, Wire Wound, 3 W, 5 %, ±200 ppm/°C, Solder, 2 Terminations, 5 mm [.197 in] Height, CGS SM

[View on TE.com >](#)



Passive Components > Resistors > Surface Mount Resistors > SMD Power Resistor: 7 Watt, 200-2M Ohm



Resistance Value: 22 Ω  
Resistor Type: Power Resistor  
Element Type: Wire Wound  
Power Rating: 3 W  
Resistance Class: Up to 1kΩ

[All SMD Power Resistor: 7 Watt, 200-2M Ohm \(316\)](#)

Features

Product Type Features

|               |                |
|---------------|----------------|
| Resistor Type | Power Resistor |
| Element Type  | Wire Wound     |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Resistors | 1 |
|---------------------|---|

Electrical Characteristics

|                             |           |
|-----------------------------|-----------|
| Operating Voltage           | 500 V     |
| Resistance Value            | 22 Ω      |
| Power Rating                | 3 W       |
| Resistance Class            | Up to 1kΩ |
| Passive Component Tolerance | 5 %       |

Termination Features

|                                         |        |
|-----------------------------------------|--------|
| Surface Mount Resistor Termination Type | Solder |
| Number of Terminations                  | 2      |

Dimensions

|                |                  |
|----------------|------------------|
| Product Height | 5 mm[.197 in]    |
| Product Length | 10.5 mm[.413 in] |
|                |                  |



|               |                 |
|---------------|-----------------|
| Product Width | 5.5 mm[.217 in] |
|---------------|-----------------|

Usage Conditions

|                         |             |
|-------------------------|-------------|
| Temperature Coefficient | ±200 ppm/°C |
|-------------------------|-------------|

Industry Standards

|                            |          |
|----------------------------|----------|
| UL Flammability Rating     | UL 94V-0 |
| ESD HBM Classification     | 2        |
| Moisture Sensitivity Level | 1        |

Packaging Features

|                  |                |
|------------------|----------------|
| Packaging Method | Taped & Reeled |
|------------------|----------------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Out of Scope                                                                                                                  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Wave solder capable to 265°C                                                                                                  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

SMW322RJT

22 ohm, Surface Mount Power Resistor, Wire Wound, 3 W, 5 %, ±200 ppm/°C, Solder, 2 Terminations, 5 mm [.197 in] Height, CGS SM



TE Part # CAT-C339-SM1  
SMD Power Resistor: 7 Watt, 200-2M Ohm

TE Part # 9-1879021-2  
SMW3 R15 1%

TE Part # 1879233-9  
SMW5 R22 5%

TE Part # 5-2176617-7  
SMOQ3W 22R 5%

Also in the Series | CGS SM

Battery Holders(1)

Expanded Beam Fiber Optics(5)

LC Connectors(1)

RJ14 Connectors(1)

RJ22 Connectors(1)

RJ25 Connectors(1)

SC Connectors(2)

Customers Also Bought

TE Part #2291579-1  
ZSFP+ 1X1 CAGE ASSEMBLY,PCI, PRESS-FIT,

TE Part #1-1879417-5  
CPF 0603 680K 0.1% 25PPM 1K RL

TE Part #2401838-4  
QSFP112 JL Rec Assembly, PdNi, Washer



TE Part #2316069-1  
CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP

TE Part #1888652-2  
2X1 OFFSET STACK JACK

TE Part #7-2176422-8  
TLRP 2512 3.0W R150 1% 50PPM 4K RL

TE Part #2354329-1  
CAGE ASSEMBLY, QSFP28, 1X2,ZIP HSK

TE Part #1-2304280-8  
HEAT SINK, ZQSFP+ STACKED



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_5-1879021-7\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_5-1879021-7\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_5-1879021-7\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1309350\_PASSIVE\_COMPONENT

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English

SMD Moulded Power Resistor - Type SM Series - Tyco Electronics Passives

English