5-212526-1 ✓ ACTIVE



AMPLIMITE

TE Internal #: 5-212526-1

21 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Wire &

Cable, Power & Signal

View on TE.com >



Connectors > D-Shaped Connectors



Number of Positions: 21

Connector & Housing Type: Receptacle

Connector System: Cable-to-Cable

Connector Mounting Type: Panel Mount

Connector Shell Size: 3

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	3
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Power/Signal/Coax Combination	Yes
Number of Positions	21

Body Features

Front Shell Material	Steel
Mating Retention Feature Material	Stainless Steel
D-Sub Connector Insert Arrangement	21C1
Rear Shell Plating Material	Zinc
Rear Shell Material	Steel
Front Shell Plating Material	Zinc

Contact Features

Contact Size	Size 20, Size 8
Contact Type	Socket



Contact Current Rating (Max)	7.5 A, 32 A
Contact Options	Order Separately
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Mating Alignment	Without
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Package

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought















TE Part #C75134-000 NSA937901E7

Documents

Product Drawings

RECEPT ASSY,21C1,AMPLIMITE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-212526-1_Y.2d_dxf.zip

21 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Wire & Cable, Power & Signal



English

Customer View Model

ENG_CVM_CVM_5-212526-1_Y.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-212526-1_Y.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use