
5051426-4 - ACTIVE

TE Internal #: 5051426-4 SHV Connector, Plug, Bayonet, .3 GHz, Cable-to-Board, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 155 °C [-67 – 311 °F]

View on TE.com >

connectivity

Connectors > RF Connectors > Coax Connectors



RF Interface: SHV

RF Connector Style: Plug

RF Connector Mated Outer Diameter (Approximate): 14.43 mm [.568 in]

Compatible With RF Cable Type: RG 58, RG 58A, RG 58B, RG 58C

RF Connector Coupling Mechanism: Bayonet

Features

Product Type Features

Connector Seal & Plug Type	Gasket	
RF Interface	SHV	
RF Connector Style	Plug	
Compatible With RF Cable Type	RG 58, RG 58A, RG 58B, RG 58C	
Connector System	Cable-to-Board	
Sealable	Yes	
Connector & Contact Terminates To	Wire & Cable	
Configuration Features		
Number of Positions	1	
Number of Coaxial Contacts	1	
Body Features		
Cable Connector Orientation	Straight	
Body Material	Brass	
Body Material Finish	Bright	

5051426-4

SHV Connector, Plug, Bayonet, .3 GHz, Cable-to-Board, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 155 °C [-67 – 311 °F]



Body Plating Material	Nickel
Contact Features	
Crimp Type	Dual Crimp
RF Connector Center Contact Underplating Material	Nickel
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Beryllium Copper
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
RF Connector Coupling Mechanism	Bayonet
Connector Mounting Type	Cable Mount (Free-Hanging)
RF Contact Captivation Method	Mechanical
Detent	With
Dimensions	
RF Connector Mated Outer Diameter (Approximate)	14.43 mm[.568 in]
Usage Conditions	
Operating Temperature Range	-55 – 155 °C[-67 – 311 °F]

Operation/Application

Operating Frequency	.3 GHz	
Packaging Features		
Packaging Method	Carton	
Other		
Dielectric Material	PTFE	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2023 (235)	

SHV Connector, Plug, Bayonet, .3 GHz, Cable-to-Board, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 155 °C [-67 – 311 °F]



SVHC > Threshold:

Pb (3.7% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Not applicable for solder process capability

Halogen Content


Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts









	- <i>TE</i>	Q	Q.C.
TE Part # 220022-1	TE Part # 51494-1	TE Part # 5051494-1	TE Part # 51421-2
DAHT COAXICON RG58 C ASSY	SAFE HIGH VOLTAGE BLKHD RECEPT	SAFE HIGH VOLTAGE BLKHD RECEPT	SHV PANEL RECPT



5051426-4

SHV Connector, Plug, Bayonet, .3 GHz, Cable-to-Board, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 155 °C [-67 – 311 °F]





Customers Also Bought



SAFE HIGH VOLTAGE BLKHD RECEPT

TYPE VI PIN, MULTI-MATE



Documents

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_5051426-4_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_5051426-4_A1.3d_igs.zip

English

5051426-4

SHV Connector, Plug, Bayonet, .3 GHz, Cable-to-Board, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 155 °C [-67 – 311 °F]



Customer View Model

ENG_CVM_5051426-4_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.